



CELEBRATING  
**45 YEARS**



# SOLVING LIGHTING PROBLEMS.

# INTRODUCING NEW PRODUCTS.

## IT'S WHAT WE DO.

Since 1973, Streamlight has delivered effective, efficient high-performance lighting solutions. The latest technology delivers unmatched performance, unheard of durability and incredible value. We've earned our reputation one customer at a time. And we're not about to let up now.



**PROTAC® 90**



**SIEGE® X USB**

**TLR-8® G** RAIL-MOUNTED LIGHT



**TLR-6®** NON-LASER



**TLR-6®** FOR SIG SAUER P365



**BANDIT® PRO** USB HEADLAMP



**TLR-VIR® II** SPECIALTY PRODUCT



**PROTAC®**  
RAIL MOUNT HL-X LASER

**TL-RACKER™**  
FOREND LIGHT

# STREAMLIGHT TLRs **THE WIDEST RANGE OF WEAPON-MOUNTED LIGHTS**

Streamlight produces a full line of weapon-mounted lights with the features that law enforcement, conceal & carry, and sportsmen need: high-lumen, laser, and IR. Models to fit long guns and full-size and compact pistols.

## LIGHT ONLY

### COMPACT & FULL FRAME PISTOLS

#### UNIVERSAL RAIL-MOUNT MODELS



TLR-7®  
WHITE LIGHT ILLUMINATOR



TLR-1 HL®  
WHITE LIGHT ILLUMINATOR



TLR-1®  
TLR-1s®  
WHITE LIGHT ILLUMINATOR



TLR-3®  
WHITE LIGHT ILLUMINATOR

### SUB-COMPACT & COMPACT PISTOLS

#### TRIGGER GUARD & RAIL-MOUNT MODELS



TLR-6® NON-LASER  
WHITE LIGHT ILLUMINATOR



TLR-7®  
WHITE LIGHT ILLUMINATOR



TLR-3®  
WHITE LIGHT ILLUMINATOR

### LONG GUN / AR

#### SHOTGUN FOREND & RAIL-MOUNT MODELS



TL-RACKER™  
WHITE LIGHT ILLUMINATOR/FOREND



TLR-1 HL®  
(Long Gun Kit)  
WHITE LIGHT ILLUMINATOR



PROTAC® RAIL MOUNT 1  
PROTAC® RAIL MOUNT 2  
WHITE LIGHT ILLUMINATOR



PROTAC®  
RAIL MOUNT HL-X  
WHITE LIGHT ILLUMINATOR



TLR-1 HPL®  
(Long Gun Kit)  
WHITE LIGHT ILLUMINATOR

### SPECIALTY/IR

#### LONG GUN / AR & FULL FRAME PISTOLS



TLR-VIR®  
(Long Gun Kit)  
WHITE LIGHT ILLUMINATOR  
// IR ILLUMINATOR



TLR-VIR® PISTOL  
WHITE LIGHT ILLUMINATOR  
// IR ILLUMINATOR



TLR-1® IR  
IR ILLUMINATOR





## LIGHT/LASER COMBO

NEW



**TLR-8® G**  
WHITE LIGHT ILLUMINATOR  
// GREEN LASER



**TLR-8®**  
WHITE LIGHT ILLUMINATOR  
// RED LASER



**TLR-2® // TLR-2®s**  
WHITE LIGHT ILLUMINATOR  
// RED LASER



**TLR-2 HL®**  
WHITE LIGHT ILLUMINATOR  
// RED LASER



**TLR-2® G**  
WHITE LIGHT ILLUMINATOR  
// GREEN LASER



**TLR-2 HL® G**  
WHITE LIGHT ILLUMINATOR  
// GREEN LASER

NEW



**TLR-8® G**  
WHITE LIGHT ILLUMINATOR  
// GREEN LASER



**TLR-8®**  
WHITE LIGHT ILLUMINATOR  
// RED LASER



**TLR-6®**  
WHITE LIGHT ILLUMINATOR  
// RED LASER



**TLR-6®  
RAIL MOUNT**  
WHITE LIGHT ILLUMINATOR  
// RED LASER



**TLR-6®  
1911**  
WHITE LIGHT ILLUMINATOR  
// RED LASER



**TLR-4®**  
WHITE LIGHT ILLUMINATOR  
// RED LASER



**TLR-4® G**  
WHITE LIGHT ILLUMINATOR  
// GREEN LASER

NEW



**PROTAC® RAIL MOUNT HL-X LASER**  
WHITE LIGHT ILLUMINATOR  
// RED LASER



**TLR-2® // TLR-2®s**  
WHITE LIGHT ILLUMINATOR  
// RED LASER



**TLR-2 HL®**  
WHITE LIGHT ILLUMINATOR  
// RED LASER



**TLR-2 HL® G**  
WHITE LIGHT ILLUMINATOR  
// GREEN LASER

NEW



**TLR-VIR® II**  
WHITE LIGHT ILLUMINATOR // IR ILLUMINATOR  
// EYE SAFE IR LASER



**TLR-2® IRW**  
WHITE LIGHT ILLUMINATOR  
// EYE SAFE IR LASER



**TLR-2® IR EYE SAFE**  
IR ILLUMINATOR  
// EYE SAFE IR LASER



**STREAMLIGHT®**



**STREAMLIGHT**  
**TACTICAL WEAPON-MOUNTED SERIES**



**TLR-8® G RAIL MOUNTED LIGHT**  
WHITE LIGHT ILLUMINATOR // GREEN LASER

Ultra-lightweight and low-profile, the TLR-8® G weapon-mounted tactical light with integrated Eye Safe Green aiming laser features the latest in LED technology. The light provides 1.5 hours of continuous runtime when in dual mode with the high power green daylight visible laser. Rail clamp is designed to rapidly attach/detach from the side of compact and full-frame weapons.

**TLR-8G**

**BATTERY:** [1] 3V "CR123A" lithium

**SIZE:** 2.15" x 1.18" x 1.50"  
(5.46 x 2.98 x 3.81 cm)

**WEIGHT:** 2.64 oz (75 g)

**COLOR:** Black

**500 LUMENS**

LUMENS:	500
CANDELA:	4,300
DISTANCE:	131m
RUN TIME:	1h 30m

69430 TLR-8 with green laser, rail locating keys and CR123A lithium battery -  
Box - Black



**NEW**

"Safe Off" feature  
prevents accidental  
activation; saves batteries.



# TLR-8 & TLR-7

## ULTRA LOW-PROFILE RAIL MOUNT LIGHTS



"Safe Off" feature prevents accidental activation; saves batteries.

### TLR-8® RAIL MOUNTED LIGHT

WHITE LIGHT ILLUMINATOR // RED LASER

Ultra-lightweight and low-profile, the TLR-8® weapon-mounted tactical light with integrated red aiming laser features the latest in LED technology. The light provides 1.5 hours of continuous runtime when in dual mode with the high power visible laser. Rail clamp is designed to rapidly attach/detach from the side of compact and full-frame weapons.

#### TLR-8

**BATTERY:** (1) 3V "CR123A" lithium  
**SIZE:** 2.15" x 1.18" x 1.50"  
(5.46 x 2.98 x 3.81 cm)  
**WEIGHT:** 2.64 OZ (75 g)  
**COLOR:** Black

#### 500 LUMENS

LUMENS:	500
CANDELA:	4,300
DISTANCE:	131m
RUN TIME:	1h 30m

Laser mode: 18 hours of run time

69410 TLR-8 with red laser, rail locating keys and CR123A lithium battery - Box - Black



"Safe Off" feature prevents accidental activation; saves batteries.

### TLR-7® RAIL MOUNTED LIGHT

WHITE LIGHT ILLUMINATOR

The TLR-7® weapon-mounted tactical light is ultra-lightweight and low-profile, features the latest in LED technology and provides 1.5 hours of continuous runtime from a single lithium battery. Rail clamp is designed to rapidly attach/detach from the side of compact and full-frame weapons.

#### TLR-7

**BATTERY:** (1) 3V "CR123A" lithium  
**SIZE:** 2.15" x 1.18" x 1.27"  
(5.46 x 2.98 x 3.22 cm)  
**WEIGHT:** 2.4 OZ (68.1 g)  
**COLOR:** Black

#### 500 LUMENS

LUMENS:	500
CANDELA:	4,300
DISTANCE:	131m
RUN TIME:	1h 30m

69420 TLR-7 with rail locating keys and CR123A lithium battery - Box - Black



# TLR HL FAMILY OF LIGHTS

## HIGH-LUMEN DOMINATION THROUGH MAXIMUM ILLUMINATION.

### TLR-1 HL®

WHITE LIGHT ILLUMINATOR

These versatile tactical lights fit handguns and long-guns, and you can switch from one to the other in seconds. Their wide peripheral beam lets you see what's all around you, including what's lurking in corners. Includes a strobe for signaling/disorienting. Unbreakable, scratch-resistant, gasket-sealed lens. Operates in extreme temperatures. Impact resistant. Easy, fast battery installation/replacement. The TLR-1 HL is IPX7 rated waterproof to 1 meter for 30 minutes. TLR-2 HL features a 650-660nm red laser and IPX4-rated for water resistance.

#### TLR-1 HL

**BATTERY:** [2] 3V "CR123A" lithium

**SIZE:** 3.39" x 1.47" x 1.44"  
(8.61 x 3.73 x 3.65 cm)

**WEIGHT:** 4.18 oz (118.6 g)

**COLOR:** Black, Flat Dark Earth  
or Flat Dark Earth Brown

### TLR-2 HL®

WHITE LIGHT ILLUMINATOR // RED LASER

#### TLR-2 HL

**BATTERY:** [2] 3V "CR123A" lithium

**SIZE:** 3.39" x 1.47" x 1.83"  
(8.61 x 3.73 x 4.64 cm)

**WEIGHT:** 4.78 oz (135.5 g)

**COLOR:** Black

#### TLR-1 HL TLR-2 HL

69260	69261	Includes Rail Locating Keys for use with Glock® style, 1913 Picatinny, S&W 99/TSW, and Beretta® 90two. Lithium batteries. Black.
69266	—	Includes Rail Locating Keys for use with Glock® style, 1913 Picatinny, S&W 99/TSW, and Beretta® 90two. Lithium batteries. Flat Dark Earth.
69267	—	Includes Rail Locating Keys for use with Glock® style, 1913 Picatinny, S&W 99/TSW, and Beretta® 90two. Lithium batteries. Flat Dark Earth Brown.
69262	—	Long Gun Kit includes: TLR-1 HL with thumb screw and "safe off" door switch, remote pressure switch and mounting clips, lithium batteries. For pistol mounting the kit also includes standard door switch, rail locating keys. Lithium batteries. Black.



With **[(STROBE)]**  
Double tap tailswitch to activate.

TLR-1 HL\* Available in  
Flat Dark Earth and FDE Brown



TLR-1 HL Long Gun Kit

#### 800 LUMENS HL SERIES

**LUMENS:** 800  
**CANDELA:** 15,000  
**DISTANCE:** 245m  
**RUN TIME:** 1h 45m


TLR-2 HL Laser only mode: 45 hours of run time



## DIFFERENT KINDS OF BEAMS FOR DIFFERENT KINDS OF TASKS.

WANT TO SEE THESE BEAMS IN ACTION?

Visit Streamlight's [www.beamdemo.com](http://www.beamdemo.com)  
and see the differences for yourself.



#### TRADITION SERIES

This family of flashlights delivers the optimal balance of bright, far-reaching beam, ample peripheral light, and long run times. When you're out in the field or on any job that requires light for long periods, these are the flashlights you want by your side. Their brightness, power, performance, cost, and extended run times make them perfect for a variety of tasks.





## TLR-2 HL® G

WHITE LIGHT ILLUMINATOR // GREEN LASER

This light features a direct drive green laser and powerful high-lumen white LED. The green is clearly visible to guide your aim even in bright sunlight. You can count on the light and laser even in extreme temperatures. IPX4 rated for water resistance.

### TLR-2 HL G

**BATTERY:** (2) 3V "CR123A" lithium

**SIZE:** 3.39" x 1.47" x 1.83" (8.61 x 3.73 x 4.64 cm)

**WEIGHT:** 4.78 oz (135.5 g)

**COLOR:** Black

**800 LUMENS** HL SERIES

**HL®** With **[(STROBE)]**  
Double tap tailswitch to activate.



**LUMENS:** 800

**CANDELA:** 15,000

**DISTANCE:** 245m

**RUN TIME:** 1h 30m

Laser mode: 17 hours of run time

69265 Includes Rail Locating Keys for use with Glock® style, 1913 Picatinny, S&W 99/TSW, and Beretta® 90two. Lithium batteries. Black.

### HPL SERIES

These High Performance, High Lumen flashlights throw bright light a long distance. They have a bigger hot spot that casts more light on the target with more peripheral light. They're great for illuminating the entire length of a dark alley, for any task that requires a far-reaching beam.

### HL SERIES

These High Lumen flashlights have a wide, side-to-side beam. They illuminate an entire area, including what may be hiding in corners. They perform like floodlights, illuminating a whole room, vehicle, or any area with bright, revealing light.





Shown with  
standard switch  
backplate.

**775 LUMENS**

**HPL SERIES**

<b>LUMENS:</b>	775
<b>CANDELA:</b>	48,000
<b>DISTANCE:</b>	438m
<b>RUN TIME:</b>	1h 45m



Shown with  
"Safe Off"  
remote switch  
backplate.

With **[(STROBE)]**  
*Double tap tailswitch to activate.*

## TLR-1 HPL®

### WHITE LIGHT ILLUMINATOR

This high lumen, long-range, rail-mounted tactical light has an intensely bright, far-reaching beam with a large hotspot. It throws a wide beam to illuminate your target downrange, while illuminating everything in your path. Fits long-guns. Attaches/detaches with one hand in seconds. Includes a strobe for signaling/disorienting. Operates in extreme temperatures. IPX7 rated. Impact-resistant. Easy, fast battery replacement.

#### TLR-1 HPL

**BATTERY:** [2] 3V "CR123A" lithium

**SIZE:** 4.83" x 1.44" x 2.2"  
(12.27 x 3.66 x 5.59 cm)

**WEIGHT:** 5.3 OZ (150.3 g)

**COLOR:** Black

#### TLR-1 HPL W/REMOTE


**BATTERY:** [2] 3V "CR123A" lithium

**SIZE:** 5.25" x 1.44" x 2.2"  
(13.34 x 3.66 x 5.59 cm)

**WEIGHT:** 5.6 OZ (158.8 g)

**COLOR:** Black

69215	Standard model. Includes Rail Locating Keys for use with Glock® style, 1913 Picatinny, S&W 99/TSW, and Beretta® 90two. Lithium batteries. Black.
69216	Remote model. Includes Rail Locating Keys for use with Glock® style, 1913 Picatinny, S&W 99/TSW, and Beretta® 90two. Remote switch and Lithium batteries. Black.
69219	Long Gun Kit with thumbscrew, "Safe Off" door switch and remote pressure switch. Includes Rail Locating Keys for use with Glock® style, 1913 Picatinny, S&W 99/TSW, and Beretta® 90two. Lithium batteries. Black.



**THE TLR-1 HPL...**  
**HIGH-LUMEN + LONG-DISTANCE**  
**SEE EVERYWHERE.**



## TLR-1® GAME SPOTTER®

GREEN LIGHT ILLUMINATOR

<b>LUMENS:</b>	150
<b>CANDELA:</b>	31,000
<b>DISTANCE:</b>	350m
<b>RUN TIME:</b>	1h 45m



Shown with  
standard switch  
backplate.

Shown with  
remote switch  
backplate.

**150 LUMENS** **HPL SERIES**

A long-gun/long-range light with a green LED that preserves night vision and won't spook game. Mounts directly to long-guns with MIL-STD-1913 rails. Unbreakable, scratch-resistant, O-ring sealed lens. Operates in extreme temperatures. IPX7 rated waterproof to 1 meter for 30 minutes. Impact resistant.

### TLR-1 GAME SPOTTER

**BATTERY:** [2] 3V "CR123A" lithium  
**SIZE:** 4.83" x 1.44" x 2.2"  
(12.27 x 3.66 x 5.59 cm)  
**WEIGHT:** 5.3 oz (150.3 g)  
**COLOR:** Black

### TLR-1 GAME SPOTTER W/REMOTE

**BATTERY:** [2] 3V "CR123A" lithium  
**SIZE:** 5.25" x 1.44" x 2.2"  
(13.34 x 3.66 x 5.59 cm)  
**WEIGHT:** 5.6 oz (158.8 g)  
**COLOR:** Black

- |       |  |
|-------|--|
| 69227 | Standard model. Includes Rail Locating Keys for use with Glock® style, 1913 Picatinny, S&W 99/TSW, and Beretta® 90two. Lithium batteries. Black.                 |
| 69228 | Remote model. Includes Rail Locating Keys for use with Glock® style, 1913 Picatinny, S&W 99/TSW, and Beretta® 90two. Remote switch and Lithium batteries. Black. |



# TLR TACTICAL LIGHTS

## A TRADITION OF DURABILITY, POWER, & LONG RUN TIME.

**LUMENS:** 300  
**CANDELA:** 12,000  
**DISTANCE:** 219m  
**RUN TIME:** 2h 30m



**300 LUMENS** TRADITION SERIES

AVAILABLE WITH STROBE  
With **[(STROBE)]**  
*Double tap tailswitch to activate.*

### TLR-1® // TLR-1®s

WHITE LIGHT ILLUMINATOR

Intensely bright, durable tactical light available in standard or strobe. Securely fits a broad range of weapons. Produces a concentrated beam with optimum peripheral illumination. Mounts directly to handguns with Glock®-style rails and to all MIL-STD-1913 rails. Operates in extreme temperatures. IPX7 rated waterproof to 1 meter for 30 minutes. Impact resistant. The TLR-1s includes a strobe.

#### TLR-1 / TLR-1s

**BATTERY:** (2) 3V "CR123A" lithium

**SIZE:** 3.39" x 1.47" x 1.44" (8.61 x 3.73 x 3.65 cm)

**WEIGHT:** 4.18 oz (118.6 g)

**COLOR:** Black

69110	Includes Rail Locating Keys for use with Glock® style, 1913 Picatinny, S&W 99/TSW, and Beretta® 90two. Lithium batteries. Black.
69210	Strobe model includes Rail Locating Keys for use with Glock® style, 1913 Picatinny, S&W 99/TSW, and Beretta® 90two. Lithium batteries. Black.
69211	Strobe model with Earless Screw Kit, includes Rail Locating Keys for use with Glock® style, 1913 Picatinny, S&W 99/TSW, and Beretta® 90two. Lithium batteries. Black.

**LUMENS:** 300  
**CANDELA:** 12,000  
**DISTANCE:** 219m  
**RUN TIME:** 2h 30m

Laser mode: 48 hours of run time



**300 LUMENS** TRADITION SERIES

AVAILABLE WITH STROBE  
With **[(STROBE)]**  
*Double tap tailswitch to activate.*

### TLR-2® // TLR-2®s

WHITE LIGHT ILLUMINATOR // RED LASER

The same great features as the TLR-1 lights with a 650-660nm red laser for accurate aiming. Strobe ["s"] model available.

#### TLR-2 / TLR-2s

**BATTERY:** (2) 3V "CR123A" lithium

**SIZE:** 3.39" x 1.47" x 1.83" (8.61 x 3.73 x 4.64 cm)

**WEIGHT:** 4.72 oz (133.8 g)

**COLOR:** Black

69120	with Red Laser. Includes Rail Locating Keys for use with Glock® style, 1913 Picatinny, S&W 99/TSW, and Beretta® 90two. Lithium batteries. Black.
69230	Strobe model w/ Red Laser. Includes Rail Locating Keys for use with Glock® style, 1913 Picatinny, S&W 99/TSW, and Beretta® 90two. Lithium batteries. Black.



# THE TLR-2G... GREEN LASER FOR ALL CONDITIONS.

**300 LUMENS** **TRADITION SERIES**

**LUMENS:** 300  
**CANDELA:** 12,000  
**RUN TIME:** 2h 30m

Laser mode: 17 hours of run time



With **[(STROBE)]**  
*Double tap tailswitch to activate.*

## TLR-2® G

WHITE LIGHT ILLUMINATOR // GREEN LASER

The highly visible (even in daylight) green laser assists in target acquisition. Mounts directly to handguns with Glock®-style rails and to all MIL-STD-1913 rails. Operates in extreme temperatures. IPX4 rated for water-resistance. Features a strobe that can be disabled.

### TLR-2 G

**BATTERY:** (2) 3V "CR123A" lithium  
**SIZE:** 3.39" x 1.47" x 1.83" (8.61 x 3.73 x 4.64 cm)  
**WEIGHT:** 4.72 OZ (133.8 g)  
**COLOR:** Black

69250 Includes Rail Locating Keys for use with Glock® style, 1913 Picatinny, S&W 99/TSW, and Beretta® 90two. Lithium battery. Black.



Mounts directly to handguns with Glock®-style rails and to all MIL-STD-1913 (Picatinny) rails.

# STREAMLIGHT OFFERS A COMPLETE RANGE OF IR ILLUMINATORS AND LASERS FOR USE WITH NIGHT VISION GOGGLES.

## TLR-2® IRW

WHITE LIGHT ILLUMINATOR // EYE SAFE IR LASER

Features a Class 1 "Eye Safe" Infrared laser along with a blinding bright white light for long-range targeting. User programmable strobe enable/disable. Mounts directly to handguns with Glock® style rails and to all MIL-STD-1913 rails. Operates in extreme temperatures. IPX4 rated for water-resistance.

### TLR-2 IRW

**BATTERY:** (2) 3V "CR123A" lithium

**SIZE:** 3.39" x 1.47" x 1.83" (8.61 x 3.73 x 4.64 cm)

**WEIGHT:** 4.72 oz (133.8 g)

**COLOR:** Black

69165 TLR-2 IRW. Includes Rail Locating Keys for use with Glock® style, 1913 Picatinny, S&W 99/TSW, and Beretta® 90two. Lithium batteries. Black.

<b>LUMENS:</b>	300
<b>CANDELA:</b>	12,000
<b>IR LASER OUTPUT:</b>	Less than .8mW
<b>DISTANCE:</b>	219m
<b>RUN TIME:</b>	2h 30m

Laser mode: 45+ hours of run time

**300 LUMENS**



## TLR-2® IR EYE SAFE

IR ILLUMINATOR // EYE SAFE IR LASER

Lightweight, compact, lithium battery powered gun-mounted infrared active illuminator with Class 1 "Eye Safe" integrated IR aiming laser. The Illuminator features the latest in shock-proof high power infrared LED technology providing at least 7.5 hrs of continuous run time when in dual mode with the infrared laser. Rail clamp designed to rapidly attach/detach from side of weapon.

### TLR-2 IR EYE SAFE

**BATTERY:** (2) 3V "CR123A" lithium

**SIZE:** 3.39" x 1.47" x 1.83" (8.61 x 3.73 x 4.64 cm)

**WEIGHT:** 4.72 oz (133.8 g)

**COLOR:** Black

69166 TLR-2 IR w/ Eye Safe Laser. Includes Rail Locating Keys for use with Glock® style, 1913 Picatinny, S&W 99/TSW, and Beretta® 90two. Lithium batteries. Black.

<b>IR LED OUTPUT:</b>	120mW
<b>IR LASER OUTPUT:</b>	Less than .8mW
<b>IR RUN TIME:</b>	7h 30m

IR Laser mode: 45+ hours of run time



## TLR-1® IR

IR ILLUMINATOR

Lightweight, compact, lithium battery powered gun-mounted active illuminator featuring the latest in high power infrared LED technology. The illuminator is built with a shock-proof LED and provides at least 7.5 hours of continuous run time. Rail clamp designed to rapidly attach/detach from side of weapon.

### TLR-1 IR

**BATTERY:** (2) 3V "CR123A" lithium

**SIZE:** 3.26" x 1.47" x 1.44" (8.28 x 3.73 x 3.65cm)

**WEIGHT:** 4.18 oz (118.6 g) with batteries

**COLOR:** Black

69150 TLR-1 IR. Includes Rail Locating Keys for use with Glock® style, 1913 Picatinny, S&W 99/TSW, and Beretta® 90two. Lithium batteries. Black.

<b>IR OUTPUT:</b>	125mW/sr
<b>IR RUN TIME:</b>	7h 30m



IR requires the use of (NVG) Night Vision Goggles. [Not Included]

### TLR-VIR® PISTOL

WHITE LIGHT ILLUMINATOR // IR ILLUMINATOR

TLR-VIR PISTOL	
LUMENS:	300
CANDELA:	11,000
IR OUTPUT:	1000mW/sr
VISIBLE RUN TIME:	2h 30m
IR RUN TIME:	32h



#### 300 LUMENS

This combination bright white LED and infrared (IR) illuminator is designed for use with a pistol. It has a lower profile than the original TLR-VIR, and it's waterproof to 66 ft for 2 hours in its standard configuration. The IR illuminator is within the same lens as the white light. You can easily transition from white light to IR with a switch at the bottom of the light. There's no need to remove your eyes from the target or alter your firing grip. It has the standard momentary and constant-on ambidextrous switch as well.

#### TLR-VIR PISTOL

**BATTERY:** (2) 3V "CR123A" lithium  
**SIZE:** 3.39" x 1.47" x 1.44" (8.61 x 3.73 x 3.65cm)  
**WEIGHT:** 4.2 OZ (119 g) with batteries  
**COLOR:** Black

69190 Includes rail locating keys for used with Glock® style, 1913 Picatinny, S&W 99/TSW, and Beretta® 90two. Lithium batteries. Black.

### TLR-VIR®

WHITE LIGHT ILLUMINATOR // IR ILLUMINATOR

TLR-VIR	
LUMENS:	300
CANDELA:	12,000
IR OUTPUT:	1000mW/sr
VISIBLE RUN TIME:	2h 30m
IR RUN TIME:	20h



With **[(STROBE)]**  
Double tap switch to activate.

#### 300 LUMENS

Designed to be used with a long gun, includes both a white LED and an Infrared (IR) illuminator. Also features programmable strobe. Momentary/steady On-Off switch with plug port for momentary remote switch. Switch between white and IR as needed. Operates in extreme temperatures. IPX7 rated waterproof to 1 meter for 30 minutes. Designed to fit all long guns with MIL-STD-1913 rails.

#### TLR-VIR

**BATTERY:** (2) 3V "CR123A" lithium  
**SIZE:** 3.82" x 1.47" x 2.03" (9.70 x 3.73 x 5.16cm)  
**WEIGHT:** 6.0 OZ (170 g) with batteries, retained lens cap and remote switch  
**COLOR:** Black

69180 Includes opaque lens cover, remote switch, 1913 key. Lithium batteries. Black.

### TLR-VIR® II

WHITE LIGHT ILLUMINATOR // IR ILLUMINATOR // EYE SAFE IR LASER

TLR-VIR II	
LUMENS:	300
CANDELA:	5,000
IR OUTPUT:	600mW/sr
IR LASER OUTPUT:	Less than .8mW
VISIBLE RUN TIME:	1h 30m
IR RUN TIME:	12h

Laser mode: 12 hours of run time



With **[(STROBE)]**  
Double tap switch to activate.

#### 300 LUMENS

Lightweight, low-profile, lithium battery powered weapon-mounted tactical illuminator with Integrated IR LED/Laser and visible white LED. Class 1 "Eye Safe" IR laser. Has ambidextrous momentary and steady on/off switch and a recessed three position mode selector switch. Windage and elevation adjustment control. Securely fits M17/M18 pistols and all long guns with MIL-STD-1913 rails. IPX7 rated waterproof for 30 minutes.

#### TLR-VIR II

**BATTERY:** (1) 3V "CR123A" lithium  
**SIZE:** 3.30" x 1.45" x 1.40" (8.39 x 3.69 x 3.56cm)  
**WEIGHT:** 3.82 OZ (108 g) with batteries  
**COLOR:** Black

69192 TLR-VIR II, Black, Mailer Box  
69191 TLR-VIR II, Coyote, Mailer Box

## TLR SERIES ACCESSORIES

At Streamlight, we engineer the highest performing, most rugged, durable and innovative lights on the market and the widest array of weapon mounted lights. Whether you're LED, S.W.A.T., Military, home defense or a sportsman, Streamlight builds the accessories you can depend on and the options and configurations that you need to accommodate all your weapon-mounted needs.

TLR Accessories	TLR-1 HL/ TLR-2 HL	TLR-2 HL G	TLR-2 G	TLR-1/ TLR-1s	TLR-2/ TLR-2s	TLR-VIR II	TLR-2 IR EYE SAFE	TLR-2 IRW	TLR-1 IR	TLR-1 HPL	TLR-7	TLR-8	TLR-8 G	TLR-1 GAME SPOTTER
<b>Remington 870 Mount</b> 	69906	69906	69906	69906	69906	69906	69906	69906	69906	69906	69906	69906	69906	69906
<b>TLR 12 ga. Mag Mount</b> 	69901	69901	69901	69901	69901	69901	69901	69901	69901	69901	69901	69901	69901	69901
<b>AR-15 M16 Mount</b> 	69902	69902	69902	69902	69902	69902	69902	69902	69902	69902	69902	69902	69902	69902
<b>Ambidextrous Vert. Grip w/Rail</b> 	69114	69114	69114	69114	69114	69114	69114	69114	69114	69114	—	—	—	69114
<b>TLR Key Kit</b> 	69175	69175	69175	69175	69175	—	69175	69175	69175	69175	—	—	—	69175
<b>TLR-7 / TLR-8 Key Kit</b> 	—	—	—	—	—	—	—	—	—	—	69177	69177	69177	—
<b>Nylon Holster</b> 	1: 69201 2: 69202	69202	69202	69201	69202	69202	69202	69202	69201	—	—	—	—	—
<b>Contour Remote -Glock**</b> 	69300	69300	69300	69300	69300	—	69300	69300	69300	—	—	—	—	—
<b>Contour Remote -M&amp;P*</b> 	69310	69310	69310	69310	69310	—	69310	69310	69310	—	—	—	—	—
<b>Door Switch</b> 	69130	69130	69130	69130	69130	—	69130	69130	69130	69130	—	—	—	69130
<b>Door Switch w/Safe Off</b> 	69161	69161	69161	69161	69161	—	69161	69161	69161	69161	—	—	—	69161
<b>Tape Switch</b> 	69132	69132	69132	69132	69132	—	69132	69132	69132	69132	—	—	—	69132
<b>Coil Pressure Switch</b> 	69134	69134	69134	69134	69134	—	69134	69134	69134	69134	—	—	—	69134
<b>Straight Press. Switch</b> 	69135	69135	69135	69135	69135	—	69135	69135	69135	69135	—	—	—	69135
<b>Red Flip Lens</b> 	69115	69115	69115	69115	69115	—	—	69115	—	—	—	—	—	—
<b>Blue Flip Lens</b> 	69116	69116	69116	69116	69116	—	—	69116	—	—	—	—	—	—
<b>Green Flip Lens</b> 	69117	69117	69117	69117	69117	—	—	69117	—	—	—	—	—	—
<b>IR Flip Lens</b>	69118	69118	69118	69118	69118	—	—	69118	—	—	—	—	—	—
<b>Opaque Flip Lens</b>	69124	69124	69124	69124	69124	—	69124	69124	69124	—	—	—	—	—
<b>CR123 Batteries</b>	2 Pk. // 85175   6 Pk. // 85180   12 Pk. // 85177   400 Pk. // 85179													
<b>CR1/3N Batteries</b>	2 Pk. // 69271   6 Pk. // 69281   — For use in TLR-6													

\*Note: Must be used in conjunction with 69130 remote door switch. Fits Glock® 17/22 and 19/23 size frames; or Smith & Wesson M&P frames.



# ULTRA-COMPACT LIGHTS FOR COMPACT, SUB-COMPACT & FULL-SIZE WEAPONS.

## TLR-3®

WHITE LIGHT ILLUMINATOR

Lightweight and powerful, this super-bright light is designed for sub-compact and compact weapons, yet it fits the broadest array of handguns – up to full size. Operates in extreme temperatures. IPX7 rated waterproof to 1 meter for 30 minutes.

### TLR-3

**BATTERY:** (1) 3V “CR2” lithium

**SIZE:** 2.71" x 1.18" x 1.51" (6.88 x 3.00 x 3.84 cm)

**WEIGHT:** 2.32 oz (65.8 g)

**COLOR:** Black

69220	Standard model includes rail locating keys for use with Picatinny or Glock® style rails. Lithium battery. Black.
69221	H&K USP Compact Model. Black.
69222	H&K USP Full-Size Model. Black.

<b>LUMENS:</b>	170
<b>CANDELA:</b>	3,300
<b>DISTANCE:</b>	115m
<b>RUN TIME:</b>	1h 30m

**170 LUMENS**



## TLR-4®

WHITE LIGHT ILLUMINATOR // RED LASER

Designed for sub-compact and compact weapons, this white light illuminator features a red laser to guide your aim. Operates in extreme temperatures. IPX4 rated water-resistant.

### TLR-4

**BATTERY:** (1) 3V “CR2” lithium

**SIZE:** 2.73" x 1.20" x 1.99" (6.93 x 3.05 x 5.05 cm)

**WEIGHT:** 2.81 oz (79.7 g)

**COLOR:** Black

69240	Standard model includes rail locating keys for use with Picatinny or Glock® style rails. Lithium battery. Black.
69241	H&K USP Compact Model. Black.
69242	H&K USP Full-Size Model. Black.

<b>LUMENS:</b>	170
<b>CANDELA:</b>	3,300
<b>DISTANCE:</b>	115m
<b>RUN TIME:</b>	1h 30m

Laser only mode: 15 hours of run time

**170 LUMENS**



## TLR-4® G

WHITE LIGHT ILLUMINATOR // GREEN LASER

Extremely compact weapon-mounted light specifically designed for compact/sub-compact weapons, yet still fits a broad range of handguns. Produces a concentrated beam with optimum peripheral illumination. It includes a long-range green laser to help guide your aim. The laser operates through an extended temperature range. IPX4 rated water-resistant.

### TLR-4 G

**BATTERY:** (1) 3V “CR2” lithium

**SIZE:** 2.73" x 1.20" x 1.99" (6.93 x 3.05 x 5.05 cm)

**WEIGHT:** 2.81 oz (79.7 g)

**COLOR:** Black

69245	Standard model includes rail locating keys for use with Picatinny or Glock® style rails. Lithium battery. Black.
69246	H&K USP Compact Model. Black.
69247	H&K USP Full-Size Model. Black.

<b>LUMENS:</b>	160
<b>CANDELA:</b>	3,200
<b>DISTANCE:</b>	113m
<b>RUN TIME:</b>	1h 45m LED Only
<b>RUN TIME:</b>	1h 15m LED + Laser

Laser only mode: 4 hours of run time

**160 LUMENS**



**STREAMLIGHT**  
**SUB-COMPACT WEAPON-MOUNTED SERIES**



Model  
#69273

Fits M&P Shield® 40/9

Model  
#69278

Fits Glock® 42/43  
Flat Dark Earth Brown

**TLR-6® FOR SUBCOMPACT HANDGUNS**

An industry first, the ultra-compact TLR-6® weapon light with white LED and integrated 640/660 nm red aiming laser features tool-less battery replacement without removal from the weapon or the need to re-sight the laser. The light provides 1 hour of regulated runtime when in dual light/laser mode. Three operating modes — Light only / Light & laser / Laser only. Designed to securely attach to the trigger guard on hand guns. Durable, impact-resistant polymer construction; IPX4 water-resistant. 1 meter impact resistance tested.

**TLR-6**  
**BATTERY:** (2) 3V CR-1/3 N lithium  
**SIZE:**\* 2.30" x .85" x 1.42"  
(5.84 x 2.16 x 3.61 cm)  
**WEIGHT:**\* 1.27 oz (36 g)  
**COLOR:** Black or Flat Dark Earth Brown  
\*Size & Weight vary by model. Glock® 42/43 listed.

<b>100 LUMENS</b>	
<b>LUMENS:</b>	100
<b>CANDELA:</b>	2,000
<b>DISTANCE:</b>	89m
<b>RUN TIME:</b>	1h
Laser mode: 11 hours of run time	

69270	TLR-6 (Glock® 42/43) with lithium batteries-Black
69278	TLR-6 (Glock® 42/43) with lithium batteries-Flat Dark Earth Brown
69272	TLR-6 (Glock® 26/27/33) with lithium batteries-Black
69273	TLR-6 (M&P Shield® 40/9) with lithium batteries-Black
69274	TLR-6 (KAHR® ARMS) with lithium batteries-Black
69275	TLR-6 (SIG SAUER® P238/P938) with lithium batteries-Black
69276	TLR-6 (KIMBER® Micro) with lithium batteries-Black
69284	TLR-6 (SIG SAUER® P365) with lithium batteries-Black
69277	TLR-6 Universal Kit-Black
<b>ACCESSORIES</b>	
69271	CR 1/3N lithium batteries - 2 pk
69281	CR 1/3N lithium batteries - 12 pk

# TLR-6

## ULTRA-COMPACT LIGHT COMPACT, SUB-COMPACT & CONCEALED CARRY



Model  
#69278

Fits Glock® 42,  
Glock® 43



Model  
#69272

Fits Glock® 26,  
Glock® 27, Glock® 33



Model  
#69273

Fits M&P Shield® 40,  
M&P Shield® 9

# HTS FOR IMPACT RY WEAPONS.



All Rights Reserved. M&P Shield®, GLOCK®, SIG SAUER®, KIMBER®, & KAHR® are registered trademarks of Smith & Wesson, Glock, Inc., SIG SAUER, KIMBER, IP LLC & Saeilo Enterprises, Inc. Streamlight has not sought endorsement of this product from Smith & Wesson®, GLOCK®, SIG SAUER®, KIMBER®, KAHR® Arms or Saeilo Enterprises, Inc.



Model  
#69274

Fits Kahr® Arms  
CT9, CW9, CM9,  
CT40, CW40, CM40,  
TP9, P9, PM9, TP40,  
P40 and PM40



Model  
#69275

Fits SIG SAUER® P238,  
SIG SAUER® P938



Model  
#69276

Fits KIMBER® Micro



Model  
#69284

Fits SIG SAUER®  
P365



Model  
#69277

Universal Kit includes LED/laser module and TLR-6 body housings: Glock 42, Glock 26, M&P Shield, KAHR ARMS, SIG SAUER, KIMBER Micro. [Flat Dark Earth Brown and 1911 model not included.]

# TLR-6 RAIL MOUNT

## THE IDEAL LIGHT & LASER FOR COMPACT, RAILED HANDGUNS

### TLR-6® RAIL MOUNT // FOR COMPACT PISTOLS WITH RAILS

Designed to securely attach to the Rail and the trigger guard of GLOCK® compact railed handguns, Springfield Armory® XD®, XD(M)®, XD® MOD.2® and M&P® standard and compact railed handguns. The compact TLR-6® rail mount weapon light with LED and integrated red aiming laser features tool-less battery replacement without removal from the weapon or the need to re-sight the laser. The light provides 1 hour of regulated runtime when in dual light/laser mode.

#### TLR-6 RAIL MOUNT

**BATTERY:** [2] 3V CR-1/3 N lithium

**SIZE:** 2.20" x 1.20" x 1.47"  
(5.58 x 3.04 x 3.73 cm)

**WEIGHT:** 1.16 oz (33 g)

**COLOR:** Black

69290	TLR-6 Rail (Glock® 17/19/21) with lithium batteries-Black
69291	TLR-6 Rail (SA XD, XD [M], XD MOD 2) with lithium batteries-Black
69293	TLR-6 Rail (S&W M&P®) with lithium batteries-Black

#### ACCESSORIES

69271	CR 1/3N lithium batteries - 2 pk
69281	CR 1/3N lithium batteries - 12 pk

### 100 LUMENS

<b>LUMENS:</b>	100
<b>CANDELA:</b>	2,000
<b>DISTANCE:</b>	89m
<b>RUN TIME:</b>	1h

Laser mode: 11 hours of run time



Model  
#69290

Fits Glock® 17,  
Glock® 19, Glock® 21



Model  
#69290

Fits Glock® 17, Glock® 19,  
Glock® 21



Model  
#69291

Fits SA XD®, SA XD [M]®,  
SA XD® MOD. 2®



Model  
#69293

Fits S&W M&P®





## TLR-6® NON-LASER

Based on our popular ultra-compact TLR-6® weapon light. This non-laser weapon-mounted light features tool-less battery replacement without removal from the weapon. The light provides 1 hour of regulated runtime. Designed to securely attach to the trigger guard on hand guns. Durable, impact-resistant polymer construction; IPX4 water-resistant. 1 meter impact resistance tested.

### TLR-6 NON-LASER

**BATTERY:** (2) 3V CR-1/3 N lithium

**SIZE:**\* 2.30" x .85" x 1.42"  
(5.84 x 2.16 x 3.61 cm)

**WEIGHT:**\* 1.27 oz (36 g)

**COLOR:** Black

\*Size & Weight vary by model.  
Glock® 42/43 listed.

**100 LUMENS**

**LUMENS:** 100

**CANDELA:** 2,000

**DISTANCE:** 89m

**RUN TIME:** 1h



**NEW**

Model  
#69280


Fits Glock® 42& Glock® 43

- |       |  |
|-------|--|
| 69280 | TLR-6 (Glock® 42/43) with lithium batteries-Black    |
| 69282 | TLR-6 (Glock® 26/27/33) with lithium batteries-Black |
| 69283 | TLR-6 (S&W) with lithium batteries-Black             |

### ACCESSORIES

- |       |                                   |
|-------|-----------------------------------|
| 69271 | CR 1/3N lithium batteries - 2 pk  |
| 69281 | CR 1/3N lithium batteries - 12 pk |





Model  
#69279  
Fits 1911

## TLR-6® FOR NON-RAIL 1911 HANDGUNS

Add the compact performance of the TLR-6 to many non-rail 1911 handguns including: KIMBER®, Colt®, Ruger® and Smith & Wesson®. The ultra-compact TLR-6® weapon light with LED and integrated red aiming laser features tool-less battery replacement without removal from the weapon or the need to re-sight the laser. The light provides 1 hour of regulated runtime when in dual light/laser mode.

### TLR-6 FOR NON-RAIL 1911

**BATTERY:** (2) 3V CR-1/3 N lithium

**SIZE:**\* 2.34" x .085" x 1.58"  
(5.94 x 2.16 x 4.01 cm)

**WEIGHT:** 1.27 oz (36 g)

**COLOR:** Black

### 100 LUMENS

<b>LUMENS:</b>	100
----------------	-----

<b>CANDELA:</b>	2,000
-----------------	-------

<b>DISTANCE:</b>	89m
------------------	-----

<b>RUN TIME:</b>	1h
------------------	----

Laser mode: 11 hours of run time

69279	TLR-6 (1911) with lithium batteries-Black
-------	---

### ACCESSORIES

69271	CR 1/3N lithium batteries - 2 pk
-------	----------------------------------

69281	CR 1/3N lithium batteries - 12 pk
-------	-----------------------------------

# TLR-6 FOR NON-RAIL 1911

**DESIGNED TO SECURELY  
ATTACH TO THE TRIGGER  
GUARD OF NON-RAIL 1911  
HANDGUNS.**



Model  
#69279  
Fits 1911



## TLR-6® COMPATIBILITY LIST FOR NON-RAIL 1911 HANDGUNS

### KIMBER®

Stainless Ultra Raptor II  
Custom CDP  
Pro CDP II  
Ultra Crimson Carry  
Custom TLE II  
Pro Carry II  
Pro Crimson Carry II

### COLT®

1911-A1  
1911 Commander  
Competition 1911 Government  
1991 A1 Government  
Gold Cup® National Match  
Delta Elite® 10mm  
1911 Lightweight Commander

### SIG SAUER®

1911 TacPac  
1911 C3®  
1911 Nitron®  
1911 Ultra Compact

### PARA® USA

Elite 1911  
Expert Commander  
1911 LTC

### REMINGTON®

1911 R1S

### SMITH & WESSON®

SW 1911 Pro Series  
SW 1911 CT  
SW 1911 SC  
SW 1911

### SPRINGFIELD ARMORY®

1911 Range Officer®  
1911 Range Officer® Compact

### RUGER®

6700  
6702

All Rights Reserved. KIMBER®, Colt®, Ruger®, SIG SAUER®, Para® USA, Remington®, Smith & Wesson® and Springfield Armory® are registered trademarks of KIMBER®, Colt®, Ruger®, SIG SAUER®, Para® USA, Mossberg®, Remington®, Smith & Wesson® and Springfield Armory®. Streamlight has not sought endorsements of the fore mentioned Corporations.

## TL-RACKER FOREND LIGHT THE ULTIMATE WEAPON LIGHT FOR COMBAT SHOTGUNS.



### 850 LUMENS

LUMENS:	850
CANDELA:	14,000
RUN TIME:	1h



### TL-RACKER™

The compact, lightweight all-in-one integrated shotgun forend light. Replace your weapon's forend with the TL-Racker featuring a bright 850 lumen LED light in a sleek design that eliminates the need for remote cords, reducing snag hazards. Its ergonomic design provides maximum grip and easy switch access for momentary and constant on. The elongated switch pad accommodates virtually any hand size. Uses two CR123A lithium batteries. The customized optic produces a concentrated beam for multiple applications. Ideal for shotgun breaching, close quarter operations or elevating home defense options.

#### TL-RACKER

**BATTERY:** (2) 3V "CR123A" lithium

**SIZE:** 7.94" x 1.96" x 2.92" (20.16 x 4.98 x 7.42cm)

**WEIGHT:** 10.68 OZ (303 g) with batteries

**COLOR:** Black

69600	with (2) lithium batteries, Mossberg 500/590, Black, Box
69601	with (2) lithium batteries, Remington 870, Black, Box

PROTAC® RAIL MOUNT 1

This 350 lumen light features a dedicated fixed-mount for MIL-STD 1913 rails. It uses either a remote switch with momentary/constant on operation or a standard push-button tail switch, and can run on either a lithium battery or an easy-to-find alkaline battery. TEN-TAP® programming provides operator custom options.

PROTAC RAIL MOUNT 1

**BATTERY:** (1) 3V “CR123A” lithium or (1) “AA” Alkaline

**SIZE:** 4.25" x 1.50" x 1.20" (10.8 x 3.81 x 3.04 cm)

**WEIGHT:** 4.3 oz (121.9 g) w/CR123 // 4.5 oz (127.57 g) w/Alkaline

**COLOR:** Black

88058 with (1) lithium & (1) “AA” Battery— Black

350 LUMENS



With [(STROBE)]

Double tap switch to activate.

**MULTI-FUEL DESIGN:**

Runs on one “AA” alkaline or CR123A lithium battery — both included.

CR123	HIGH	LOW	ALKALINE	HIGH	LOW
<b>LUMENS:</b>	350	40	<b>LUMENS:</b>	150	40
<b>CANDELA:</b>	12,000	1,380	<b>CANDELA:</b>	4,950	1,380
<b>DISTANCE:</b>	219m	19m	<b>DISTANCE:</b>	141m	19m
<b>RUN TIME:</b>	1h 45m	14h 30m	<b>RUN TIME:</b>	1h 30m	8h
Stroke runs 2.75 hours			Stroke runs 2.75 hours		

PROTAC® RAIL MOUNT 2

This 625 lumen light features a dedicated fixed-mount for MIL-STD 1913 rails. Lightweight, this bright light can be used in close quarter combat or to identify medium range threats. Rugged, reliable and easy-to-use pressure switch comes with a button for on/off for momentary activation. TEN-TAP® programming provides operator custom options.

PROTAC RAIL MOUNT 2

**BATTERY:** (2) 3V “CR123A” lithium

**SIZE:** 5.00" x 1.50" x 1.20" (12.7 x 3.81 x 3.04 cm)

**WEIGHT:** 5.00 oz (141.7 g)

**COLOR:** Black

88059 with (2) lithium batteries— Black

TEN-TAP® programmable switch allows user selection of one of three different programs:

- high/strobe (factory default)
- high only
- low/high


With [(STROBE)]

Double tap switch to activate.

625 LUMENS



CR123	HIGH	LOW
<b>LUMENS:</b>	625	60
<b>CANDELA:</b>	22,000	2,000
<b>DISTANCE:</b>	297m	89m
<b>RUN TIME:</b>	2h	21h
Stroke runs 2.75 hours		





THE PROTAC RAIL MOUNT LIGHTS

SHATTER THE DARK  
WITHOUT BREAKING THE BANK.

PROTAC® RAIL MOUNT HL-X

The ProTac Rail Mount HL-X is a 1,000 lumen light featuring a dedicated fixed-mount for MIL-STD 1913 rails. Lightweight, this bright light can be used in close quarter combat or to identify medium range threats. Rugged, reliable. Its easy-to-use pressure switch comes with a button for on/off and a pressure switch for momentary activation. TEN-TAP® programming provides operator custom options.

PROTAC RAIL MOUNT HL-X

**BATTERY:** (2) 3V "CR123A" lithium or (1) 18650 Li-Ion 3.7v rechargeable  
**SIZE:** 5.43" x 1.45" x 1.72" (13.8 x 3.68 x 4.37 cm)  
**WEIGHT W/2X CR123:** 6.4 OZ (181.4 g)  
**WEIGHT W/18650 LI-ION:** 6.9 OZ (195.6 g)  
**COLOR:** Black

88066 with (2) lithium batteries— Black

PROTAC® RAIL MOUNT HL-X LASER

The ProTac Rail Mount HL-X Laser is a 1,000 lumen long gun light with integrated red aiming laser with windage and elevation adjustments. It has unique functionality with its double switches; push button tailcap or remote pressure switch and multi-fuel fuel options. Available as the USB rechargeable system that includes our 18650 USB with integrated charge port or the lithium battery version. Either model includes all that you need to mount to your long gun.

PROTAC RAIL MOUNT HL-X LASER

**BATTERY:** (2) 3V "CR123A" lithium or (1) 18650 Li-Ion 3.7v rechargeable  
**SIZE:** 6.625" x 1.45" (16.83 x 3.75 cm)  
**WEIGHT W/18650 LI-ION:** 10.8 oz (306 g)  
**COLOR:** Black

88089 with (2) lithium batteries, remote pressure switch, remote hardware kit— Black

88090 with 18650 battery & 22" USB Cord, remote pressure switch, remote hardware kit— Black

TEN-TAP® programmable switch allows user selection of one of three different programs:

- high/strobe (factory default)
- high only
- low/high

With **[(STROBE)]**  
Double tap switch to activate.

**1,000 LUMENS**



MULTI-FUEL DESIGN:

Runs on CR123 or 18650 batteries

WITH CR123	HIGH	LOW	WITH 18650	HIGH	LOW
<b>LUMENS:</b>	1,000	60	<b>LUMENS:</b>	1,000	60
<b>CANDELA:</b>	27,600	1,600	<b>CANDELA:</b>	27,600	1,600
<b>DISTANCE:</b>	332m	80m	<b>DISTANCE:</b>	332m	80m
<b>RUN TIME:</b>	1h 15m	20h	<b>RUN TIME:</b>	1h 30m	23h
Strobe runs 2.5 hours			Strobe runs 3.25 hours		

TEN-TAP® programmable switch allows user selection of one of three different programs:

- high/strobe (factory default)
- high only
- low/high

With **[(STROBE)]**  
Double tap switch to activate.

**1,000 LUMENS**



NEW

MULTI-FUEL DESIGN:

Runs on CR123 or 18650 batteries

WITH CR123	HIGH	LOW	WITH 18650	HIGH	LOW
<b>LUMENS:</b>	1,000	60	<b>LUMENS:</b>	1,000	60
<b>CANDELA:</b>	27,600	1,600	<b>CANDELA:</b>	27,600	1,600
<b>DISTANCE:</b>	332m	80m	<b>DISTANCE:</b>	332m	80m
<b>RUN TIME:</b>	1h 15m	20h	<b>RUN TIME:</b>	1h 30m	23h
Strobe runs 2.5 hours			Strobe runs 3.25 hours		

## STREAMLIGHT PROTAC SERIES

### 18650 USB BATTERY WITH INTEGRATED PORT

The 18650 USB Lithium-Ion battery provides an alternate power source for newer Streamlight products that accept either standard CR123A lithium batteries or 18650 batteries. It features an integrated safety circuit that protects from over charging or overdischarging. The 18650 battery with integrated micro USB port charges in 5 hours. A wide variety of power sources can be used, such as a PC, power pack or 12VDC automotive power.

#### 18650 BATTERY WITH INTEGRATED PORT

**BATTERY CAPACITY:** 3.7V, rechargeable

**BATTERY SIZE:** 2.75" x .744" (.7 x 1.89cm)

**BATTERY WEIGHT:** 1.7 oz (48 g)

22101 18650 Battery with USB port - 1 pack

22102 18650 Battery with USB port - 2 pack

LED display for  
battery charge status.



**CHARGING**

**CHARGED**

USB Rechargeable 2600mAh 18650  
Lithium Ion Battery — Charges in 5 hours.  
Featuring charge status indicator.



**18650 CHARGER KIT  
ALSO AVAILABLE**

# OUR TACTICAL LIGHTS JUST GOT MORE VERSATILE INTRODUCING USB MULTI-FUEL OPTIONS

## PROTAC HL® 5-X USB PROTAC HL® 5-X

The ProTac HL 5-X is a 3,500 lumen tactical light that comes in 2 versions. The ProTac HL 5-X USB is a rechargeable system. It comes with our 18650 USB battery with integrated USB charging port. The ProTac HL 5-X comes with four CR123A batteries. Multi-battery versatility means the user can always use primary disposable cells to power the light if the rechargeable cell is out of power and a charging source is not available. The output from the LED results in one of the brightest tactical lights available. The "sure grip rubber sleeve" and included lanyard ensure you'll never lose your grip.

### PROTAC HL 5-X USB / PROTAC HL 5-X

**BATTERY:** (2) 18650 Li-Ion 3.7v rechargeable  
or (4) 3V "CR123A" lithium

**SIZE:** 9.53" x 2.35" x 1.24"  
(23.65 x 5.97 x 3.15 cm)

**WEIGHT W/18650:** 1 lb 3.4 oz (550 g)

**WEIGHT W/(4) CR123A:** 1 lb 2.4 oz (522 g)

**COLOR:** Black

HL 5-X USB (18650)	HL 5-X (CR123A)
88080	88074 with batteries, wrist lanyard — Clam
88081	88075 with batteries, wrist lanyard — Box

#### ACCESSORIES

22082	USB "Y" cord - 22"
22070	USB cord - 40"
22081	USB cord - 22"
22100	18650 Battery Charge Cradle
22101	18650 Battery with USB port - 1 pack
22102	18650 Battery with USB port - 2 pack

## X USB MULTI-FUEL FLEXIBILITY

### X USB Version

Includes (2) 18650 USB Batteries and USB "Y" Cord  
— allowing you to charge both batteries at once

Both the ProTac HL 5-X USB and the ProTac HL 5-X are multi-fuel  
and accept either 18650 USB batteries or CR123A batteries.

**3,500 LUMENS (W/18650 BATTERIES)**

**HL SERIES**

**HL®** With **[(STROBE)]**  
Double tap switch to activate.



**TEN-TAP®** programmable switch  
allows user selection of one of  
three different programs:

- high/strobe/low (factory default)
- high only
- low/medium/high

### MULTI-FUEL DESIGN:

Runs on (2) 18650 or (4) CR123A batteries

WITH 18650	HIGH	MEDIUM	LOW
<b>LUMENS:</b>	3,500	1,000	250
<b>CANDELA:</b>	51,000	14,100	3,620
<b>DISTANCE:</b>	452m	237m	120m
<b>RUN TIME:</b>	1h 15m	3h	11h 30m

Strobe runs 1.25 hours

WITH CR123	HIGH	MEDIUM	LOW
<b>LUMENS:</b>	2,500	1,000	250
<b>CANDELA:</b>	37,000	14,100	3,620
<b>DISTANCE:</b>	385m	237m	120m
<b>RUN TIME:</b>	1h 30m	2h 30m	10h 30m

Strobe runs 1.5 hours







# **POLYTAC® X USB** **POLYTAC® X**

The PolyTac X is a 600 lumen tactical light that comes in 2 versions. The PolyTac X USB is a rechargeable system. It comes with our new 18650 USB battery with integrated USB charging port. The PolyTac X comes with 2 CR123A batteries. Multi-battery versatility means the user can always use primary disposable cells to power the light if the rechargeable cell is out of power and a charging source is not available. The PolyTac X is a bright and compact personal polymer light. Superior grip texture for a comfortable/slip-resistant feel. TEN-TAP® programming lets you choose the order of operating modes. IPX7 rated waterproof to 1 meter/30 minutes. Maximum light output throughout battery life.

## **POLYTAC X USB / POLYTAC X**

**BATTERY:** (1) 18650 Li-Ion 3.7v rechargeable or (2) 3V "CR123A" lithium

**SIZE:** 5.46" x 1.25" x 1.00"  
(13.87 x 3.43 x 2.54 cm)

**WEIGHT W/18650:** 4.9 oz (139 g)

**WEIGHT W/(2) CR123A:** 4.4 oz (125 g)

**COLOR:** Black, Yellow or Coyote

## **MULTI-FUEL DESIGN:**

Runs on (1) 18650 battery or (2) CR123A

WITH 18650	HIGH	MEDIUM	LOW
<b>LUMENS:</b>	600	260	35
<b>CANDELA:</b>	11,485	4,930	675
<b>DISTANCE:</b>	205m	135m	50m
<b>RUN TIME:</b>	3h 30m	5h 45m	36h

Strobe runs 8 hours

WITH CR123A	HIGH	MEDIUM	LOW
<b>LUMENS:</b>	600	260	35
<b>CANDELA:</b>	11,485	4,930	675
<b>DISTANCE:</b>	205m	135m	50m
<b>RUN TIME:</b>	2h 45m	5h 30m	34h

Strobe runs 5.5 hours

## **X USB** **MULTI-FUEL** **FLEXIBILITY**

### **X USB Version**

Includes 18650 USB Battery and USB Cord

Both the PolyTac X USB and the PolyTac X are multi-fuel and accept either the Streamlight 18650 USB battery or CR123A batteries.

## **POLYTAC X USB** **[18650]**

88610	88600	with batteries—Black—Clam
88611	88601	with batteries—Yellow—Clam
88612	88602	with batteries—Coyote—Clam
88613	88603	with batteries—Black—Box
88614	88604	with batteries—Yellow—Box
88615	88605	with batteries—Coyote—Box

## **ACCESSORIES**

22070	USB cord - 40"
22081	USB cord - 22"
22101	18650 Battery with USB port - 1 pack
22102	18650 Battery with USB port - 2 pack
85905	Nylon Holster
85115	Flip Lens - Red
85116	Flip Lens - Blue
85117	Flip Lens - Green
74039	Flip Lens - IR
99075	Rubber Helmet Strap
68089	Poly Mount Kit
75902	Safety Wand - Blue
75903	Safety Wand - Red
75904	Safety Wand - Yellow
75908	Safety Wand - White
75913	Safety Wand - Glow in the Dark



**600 LUMENS**

With **[(STROBE)]**  
Double tap switch to activate.

**TEN-TAP®** programmable switch allows user selection of one of three different programs:

- high/strobe/low (factory default)
- high only
- low/medium/high

**NFPA** Meets requirements of NFPA 1971-8.6 (2013); 500° heat resistance test



## PROTAC® HL-X USB PROTAC® HL-X

The ProTac HL-X is a 1,000 lumen tactical light that comes in 2 versions. The ProTac HL-X USB is a rechargeable system. It comes with our new 18650 USB battery with integrated USB charging port. The ProTac HL-X comes with 2 CR123A batteries. Multi-battery versatility means the user can always use primary disposable cells to power the light if the rechargeable cell is out of power and a charging source is not available. It features a tactical tail cap switch for momentary or constant on operation, three different user selectable programs and a pocket clip for convenience. IP68 rated; dust tight and waterproof to 2 meters.

### PROTAC HL-X USB / PROTAC HL-X

**BATTERY:** (1) 18650 Li-Ion 3.7v 2600mAh rechargeable or (2) 3V "CR123A" lithium

**SIZE:** 5.43" x 1.44" x 1.0" (13.8 x 3.7 x 2.54 cm)

**WEIGHT W/18650:** 6.2 oz (176 g)

**WEIGHT W/(2) CR123A:** 5.7 oz (162 g)

**COLOR:** Black

HL-X USB [18650]	HL-X [CR123A]
88084	88064 batteries, holster and wrist lanyard — Clam
88085	88065 batteries, holster and wrist lanyard — Box
ACCESSORIES	
22101	18650 Battery with USB port - 1 pack
22102	18650 Battery with USB port - 2 pack
22100	18650 Battery Charge Cradle
22070	USB cord - 40"
22081	USB cord - 22"
88043	Nylon Holster



**HL**® With **[(STROBE)]**  
Double tap switch to activate.  
**1,000 LUMENS**  
**HL SERIES**

### MULTI-FUEL DESIGN:

Runs on (1) 18650 battery or (2) CR123A

WITH 18650	HIGH	MEDIUM	LOW
<b>LUMENS:</b>	1,000	400	65
<b>CANDELA:</b>	27,100	10,000	1,600
<b>DISTANCE:</b>	330m	200m	80m
<b>RUN TIME:</b>	1h 30m	3h 30m	23h

Strobe runs 3.25 hours

WITH CR123A	HIGH	MEDIUM	LOW
<b>LUMENS:</b>	1,000	400	65
<b>CANDELA:</b>	27,100	10,000	1,600
<b>DISTANCE:</b>	330m	200m	80m
<b>RUN TIME:</b>	1h 15m	3h	20h

Strobe runs 2.5 hours

**TEN-TAP®** programmable switch allows user selection of one of three different programs:

- high/strobe/low (factory default)
- high only
- low/medium/high

## PROTAC® 2L-X USB PROTAC® 2L-X

The ProTac 2L-X is a 500 lumen light that comes in 2 versions. The ProTac 2L-X USB is a rechargeable system. It comes with our new 18650 USB battery with integrated USB charging port. The ProTac 2L-X comes with 2 CR123A batteries. Multi-battery versatility means the user can always use primary disposable cells to power the light if the rechargeable cell is out of power and a charging source is not available. It features a tactical tail cap switch for momentary or constant on operation, three different user selectable programs and a pocket clip for convenience. IPX7 waterproof to 1 meter for 30 minutes; 1 meter impact resistance tested.

### PROTAC 2L-X

**BATTERY:** (1) 18650 Li-Ion 3.7v 2600mAh rechargeable or (2) 3V "CR123A" lithium

**SIZE:** 5.14" x 1.06" x .94" (13.0 x 2.7 x 2.4 cm)

**WEIGHT W/18650:** 4.4 oz (125 g)

**WEIGHT W/(2) CR123A:** 3.9 oz (111 g)

**COLOR:** Black

2L-X USB [18650]	2L-X [CR123A]
88082	88062 batteries, holster and wrist lanyard — Clam
88083	88063 batteries, holster and wrist lanyard — Box
ACCESSORIES	
22101	18650 Battery with USB port - 1 pack
22102	18650 Battery with USB port - 2 pack
22100	18650 Battery Charge Cradle
22070	USB cord - 40"
22081	USB cord - 22"
88036	Nylon Holster



**500 LUMENS**

**TEN-TAP®** programmable switch allows user selection of one of three different programs:

- high/strobe/low (factory default)
- high only
- low/high

With **[(STROBE)]**  
Double tap switch to activate.

### MULTI-FUEL DESIGN:

Runs on (1) 18650 battery or (2) CR123A

WITH 18650	HIGH	LOW
<b>LUMENS:</b>	500	40
<b>CANDELA:</b>	6,800	600
<b>DISTANCE:</b>	165m	49m
<b>RUN TIME:</b>	3h 15m	30h

Strobe runs 4.5 hours

WITH CR123A	HIGH	LOW
<b>LUMENS:</b>	500	40
<b>CANDELA:</b>	6,800	600
<b>DISTANCE:</b>	165m	49m
<b>RUN TIME:</b>	2h 45m	30h

Strobe runs 3.25 hours



**18650 CHARGER KIT  
ALSO AVAILABLE**





NEED HIGH LUMEN PERFORMANCE?  
**CHOOSE FROM THE  
PROTAC FAMILY.**  
THE 2,200 LUMEN  
PROTAC HL® 4

## PROTAC HL® 4

With 2,200 lumens of blinding light, the ProTac HL®4 is a super bright member of the ProTac® family. It offers the latest in power LED technology and three different user selectable programs. The output from the LED results in a super bright tactical light. The “sure grip rubber sleeve” and included lanyard ensures you’ll never lose your grip. IPX7 waterproof to 1 meter for 30 minutes; 1 meter impact resistance tested.

### PROTAC HL 4

**BATTERY:** [4] 3V “CR123A” lithium or  
[2] 18650 Li-Ion 3.7v 2600mAh rechargeables

**SIZE:** 8.63" x 2.35" x 1.24" (21.92 x 5.97 x 3.15 cm)

**WEIGHT:** 17 OZ (482 g)

**COLOR:** Black

88060 with lithium batteries and wrist lanyard—Black

**2,200 LUMENS** HL SERIES



**TEN-TAP®** programmable switch allows user selection of one of three different programs:

- high/strobe/low (factory default)
- high only
- low/med/high

**HL®** With **[(STROBE)]**  
Double tap switch to activate.

### MULTI-FUEL DESIGN:

Runs on [2] 18650 or [4] CR123 batteries

WITH CR123	HIGH	MEDIUM	LOW
<b>LUMENS:</b>	2,200	600	60
<b>CANDELA:</b>	30,000	8,300	800
<b>DISTANCE:</b>	346m	182m	56m
<b>RUN TIME:</b>	1h 30m	4h	40h

Strobe runs 2.5 hours

WITH 18650	HIGH	MEDIUM	LOW
<b>LUMENS:</b>	2,200	600	60
<b>CANDELA:</b>	30,000	8,300	800
<b>DISTANCE:</b>	346m	182m	56m
<b>RUN TIME:</b>	1h 45m	4h 15m	43h

Strobe runs 3.5 hours

## PROTAC HL® 3

Put 1,100 lumens in the palm of your hands with a wide beam pattern that illuminates an entire area. TEN-TAP® programming lets you choose the order of operating modes. IPX7-rated waterproof to 1 meter/30 minutes. 1 meter impact-resistance tested. Includes rubber sleeve.

### PROTAC HL 3

**BATTERY:** (3) 3V "CR123A" lithium

**SIZE:** 7.1" x 1.73" x 1.0" (18.03 x 4.39 x 2.54 cm)

**WEIGHT:** 9.3 oz (263 g)

**COLOR:** Black

	HIGH	LOW
<b>LUMENS:</b>	1,100	35
<b>CANDELA:</b>	36,000	1,200
<b>DISTANCE:</b>	379m	69m
<b>RUN TIME:</b>	2h	43h

Strobe runs 2 hours



1,100 LUMENS

HL SERIES



TEN-TAP® programmable switch allows user selection of one of three different programs:

- high/strobe/low (factory default)
- high only
- low/medium/high

88047 with lithium batteries and holster—Black

#### ACCESSORIES

88048 Nylon Holster

## PROTAC® HPL USB

The Pro Tac HPL® USB is a versatile tactical light designed for down range applications, that can charge from multiple sources and use three battery types; Streamlight 18650 rechargeable lithium ion battery, two CR123A batteries, or lithium ion batteries. This light will charge from a laptop or most USB wall chargers. Multi-battery versatility means you can always use primary disposable cells to power the light when a charging source is not available. It features a tail cap switch for momentary or constant on operation, three different user selectable programs and a pocket clip for convenience. IPX4 rated for water resistance.

### PROTAC HPL USB

**BATTERY:** Lithium-ion, Lithium-ion 18650 or (2) 3V "CR123A" lithium

**SIZE:** 7.08" x 1.72" x 1.07" (18 x 4.38 x 2.7 cm)

**WEIGHT:** 9.24 oz (262 g) with Li-On battery

**COLOR:** Black

	HIGH	MEDIUM	LOW
<b>LUMENS:</b>	1,000	400	65
<b>CANDELA:</b>	35,000	14,100	2,250
<b>DISTANCE:</b>	374m	237m	95m
<b>RUN TIME:</b>	1h 30m	3h	20h

Strobe runs 3 hours

1,000 LUMENS HPL SERIES

Recharge by plugging into USB port or optional AC wall adapter



TEN-TAP® programmable switch allows user selection of one of three different programs:

- high/strobe/low (factory default)
- high only
- low/medium/high

88076 with USB Cord and holster—Black—Clam

88077 with USB Cord and holster—Black—Box

88078 with USB 120V/DC and holster—Black—Clam

#### ACCESSORIES

22070 40" USB cord

88048 Nylon Holster

## PROTAC HL® USB

The Pro Tac HL USB is incredibly bright and features new multiple power source capability; Streamlight 18650 rechargeable lithium ion battery, two CR123A batteries, or lithium ion batteries. It recharges by connecting to a USB port, so it's easy to charge on the go. The anti-rattle battery compartment keeps batteries securely and quietly in place and doesn't need a battery carrier. TEN-TAP® programming lets you choose the selection of operating modes (high/strobe/low, high only or low/medium/high). IPX4 rated for water resistance.

### PROTAC HL USB

**BATTERY:** Lithium-ion, Lithium-ion 18650 or (2) 3V "CR123A" lithium

**SIZE:** 6.50" x 1.23" x 1.07" (16.5 x 3.1 x 2.7 cm)

**WEIGHT:** 7.2 oz (204 g) with Li-On battery

**COLOR:** Black

	HIGH	MEDIUM	LOW
<b>LUMENS:</b>	1,000	380	65
<b>CANDELA:</b>	12,000	4,420	700
<b>DISTANCE:</b>	219m	133m	53m
<b>RUN TIME:</b>	1h 30m	3h 30m	23h

Strobe runs 1.5 hours

1,000 LUMENS HL SERIES

Recharge by plugging into USB port or optional AC wall adapter



TEN-TAP® programmable switch allows user selection of one of three different programs:

- high/strobe/low (factory default)
- high only
- low/medium/high

88052 with USB Cord and holster—Black

88054 with USB 120V/DC and holster—Black

# PROTAC<sup>HL</sup>

One of the brightest tactical personal carry lights of its size, with a far-reaching beam. TEN-TAP<sup>®</sup> programming lets you choose the order of operating modes. IPX7-rated waterproof to 1 meter/30 minutes. 1 meter impact-resistance tested.

## PROTAC HL

**BATTERY:** [2] 3V "CR123A" lithium  
**SIZE:** 5.4" x 1.375" x 1.0" (13.72 x 3.49 x 2.54 cm)  
**WEIGHT:** 5.6 oz (158 g)  
**COLOR:** Black

	HIGH	LOW
<b>LUMENS:</b>	750	35
<b>CANDELA:</b>	18,300	900
<b>DISTANCE:</b>	270m	60m
<b>RUN TIME:</b>	1h 15m	18h

Strobe runs 2.5 hours



**HL** <sup>®</sup> With [(STROBE)]  
Double tap switch to activate.

**TEN-TAP<sup>®</sup>** programmable switch allows user selection of one of three different programs:

- high/strobe/low (factory default)
- high only
- low/medium/high

88040 with lithium batteries and holster—Black

### ACCESSORIES

88043 Nylon Holster



# PROTAC SERIES

## THE PERFECT BLEND OF

# PERFORMANCE

## + DURABILITY

# PROTAC<sup>90</sup>

The ProTac<sup>®</sup> 90 is a super-bright, ultra-compact, right-angle tactical light featuring the convenience of multi-fuel technology. With its 90° head and a multi-function clip designed to fit MOLLE and other gear, the new light provides multiple wearing options for those requiring hands-free operation.

## PROTAC 90

**BATTERY:** [1] 3V "CR123A" lithium or [1] "AA" alkaline/lithium  
**SIZE:** 3.78" x 1.05" x .86" (9.6 x 2.67 x 2.18 cm)  
**WEIGHT W/CR123:** 2.8 oz (79 g)  
**WEIGHT W/ALKALINE:** 3.1 oz (88 g)  
**WEIGHT W/LITHIUM:** 2.7 oz (77 g)  
**COLOR:** Black

With [(STROBE)]  
Double tap switch to activate.

**MULTI-FUEL DESIGN:**  
Runs on [1] CR123A,  
[1] "AA" Alkaline or  
[1] "AA" Lithium battery

**TEN-TAP<sup>®</sup>** programmable switch allows user selection of one of three different programs:

- high/strobe/low (factory default)
- high only
- low/high

WITH CR123	HIGH	LOW
<b>LUMENS:</b>	300	40
<b>CANDELA:</b>	5,400	700
<b>DISTANCE:</b>	147m	53m
<b>RUN TIME:</b>	1h 45m	14h

Strobe runs 2.5 hours

WITH "AA" ALK.	HIGH	LOW
<b>LUMENS:</b>	125	40
<b>CANDELA:</b>	2,150	700
<b>DISTANCE:</b>	93m	53m
<b>RUN TIME:</b>	2h 45m	8h

Strobe runs 3.5 hours

WITH "AA" LITH.	HIGH	LOW
<b>LUMENS:</b>	125	40
<b>CANDELA:</b>	2,150	700
<b>DISTANCE:</b>	93m	53m
<b>RUN TIME:</b>	5h 30m	15h

Strobe runs 8 hours

88087 with [1] CR123, [1] AA battery and holster—Black—Clam  
88088 with [1] CR123, [1] AA battery and holster—Black—Box



**NEW**

# THE PROTAC SERIES... A COMPLETE FOR ALL TYPES OF USES, FROM

## PROTAC® 1L-1AA

The ProTac® 1L-1AA is a perfect everyday carry light. This multi-fuel, ultra-compact flashlight accepts a single lithium or alkaline battery, providing you with ultimate flexibility in the field. Packaged with a removable pocket clip and holster. IPX7 waterproof to 1 meter for 30 minutes; 2 meter impact resistance tested.

### PROTAC 1L-1AA

**BATTERY:** (1) 3V "CR123A" lithium or (1) "AA" alkaline/lithium

**SIZE:** 4.25" x .95" x .850" (10.8 x 2.41 x 2.16 cm)

**WEIGHT W/CR123:** 2.5 OZ (71 g)

**WEIGHT:** 2.8 OZ (79 g) Alkaline // 2.4 OZ (68 g) Lithium

**COLOR:** Black

### PROTAC® 1L-1AA

88061 with (1) alkaline & lithium batteries and holster — Black

88073 with (1) alkaline & lithium batteries and holster — Coyote

### ACCESSORIES

88037 Nylon Holster



### MULTI-FUEL DESIGN:

Runs on (1) CR123  
or (1) "AA" battery

With **[(STROBE)]**  
Double tap switch to activate.

WITH CR123	HIGH	LOW
<b>LUMENS:</b>	350	40
<b>CANDELA:</b>	6,400	720
<b>DISTANCE:</b>	180m	53m
<b>RUN TIME:</b>	1h 30m	14h

Strobe runs 3 hours

WITH "AA" ALK.	HIGH	LOW
<b>LUMENS:</b>	150	40
<b>CANDELA:</b>	2,750	720
<b>DISTANCE:</b>	105m	53m
<b>RUN TIME:</b>	1h 20m	7h 30m

Strobe runs 3.5 hours

**TEN-TAP®** programmable switch allows user selection of one of three different programs:

- high/strobe/low (factory default)
- high only
- low/high

WITH "AA" LITHIUM	HIGH	LOW
<b>LUMENS:</b>	150	40
<b>CANDELA:</b>	2,750	720
<b>DISTANCE:</b>	105m	53m
<b>RUN TIME:</b>	4h 15m	14h

Strobe runs 8 hours

## PROTAC® 1L

Ultra-compact and lightweight, yet powerful, bright, with long run times and lots of important features. TEN-TAP® programming for user selection of mode programs (high, low, strobe). IPX7 waterproof to 1 meter for 30 minutes. 2 meter impact resistance tested. Maximum light output throughout battery life.

### PROTAC 1L

**BATTERY:** (1) 3V "CR123A" lithium

**SIZE:** 3.43" x .9" x .77" (8.71 x 2.29 x 1.96 cm)

**WEIGHT:** 2.0 OZ (57 g)

**COLOR:** Black

### PROTAC® 1L

88030 with (1) lithium batteries and holster — Black

### ACCESSORIES

88035 Nylon Holster

	HIGH	LOW
<b>LUMENS:</b>	275	22
<b>CANDELA:</b>	5,100	420
<b>DISTANCE:</b>	143m	41m
<b>RUN TIME:</b>	2h	24h

Strobe runs 3.5 hours



With **[(STROBE)]**  
Double tap switch to activate.

**TEN-TAP®** programmable switch allows user selection of one of three different programs:

- high/strobe/low (factory default)
- high only
- low/high

## PROTAC® 2L

The ProTac® 2L is compact and lightweight, yet powerful, bright, with long run times and lots of important features. TEN-TAP® programming for user selection of mode programs. IPX7 waterproof to 1 meter for 30 minutes. 2 meter impact resistance tested. Maximum light output throughout battery life.

### PROTAC 2L

**BATTERY:** (2) 3V "CR123A" lithium

**SIZE:** 4.77" x .9" x .77" (12.12 x 2.29 x 1.96 cm)

**WEIGHT:** 2.8 OZ (79 g)

**COLOR:** Black

### PROTAC® 2L

88031 with (2) lithium batteries and holster — Black

### ACCESSORIES

88036 Nylon Holster

	HIGH	LOW
<b>LUMENS:</b>	350	30
<b>CANDELA:</b>	6,300	600
<b>DISTANCE:</b>	159m	49m
<b>RUN TIME:</b>	3h 15m	35h

Strobe runs 6 hours



With **[(STROBE)]**  
Double tap switch to activate.

**TEN-TAP®** programmable switch allows user selection of one of three different programs:

- high/strobe/low (factory default)
- high only
- low/high



# FAMILY OF LIGHTS

## WORKBENCH TO EVERYDAY CARRY.

### PROTAC® 2AA

Small enough to carry in a pocket, lightweight, yet extremely bright. TEN-TAP® programming for user selection of mode programs. IPX7 waterproof to 1 meter for 30 minutes. 2 meter impact resistance tested. Maximum light output throughout battery life.

**PROTAC 2AA**  
**BATTERY:** [2] "AA" alkaline  
**SIZE:** 6.14" x .9" x .65"  
 (15.60 x 2.29 x 1.65 cm)  
**WEIGHT:** 3.4 oz (96 g)  
**COLOR:** Black or Coyote

PROTAC® 2AA	
88033	with [2] alkaline batteries and holster — Black
88072	with [2] alkaline batteries and holster — Coyote
ACCESSORIES	
88038	Nylon Holster



	HIGH	LOW
<b>LUMENS:</b>	250	18
<b>CANDELA:</b>	4,250	400
<b>DISTANCE:</b>	130m	40m
<b>RUN TIME:</b>	2h	43h

Strobe runs 4 hours

With **[(STROBE)]**  
 Double tap switch to activate.

**TEN-TAP®** programmable switch allows user selection of one of three different programs:

- high/strobe/low (factory default)
- high only
- low/high

### PROTAC® 1AAA

Compact and powerful, this ProTac® series flashlight offers three different user selectable programs and the latest in power LED technology. The combination of small size and out-put from the LED result in one of the brightest tactical personal carry lights for its size. Packaged with a removable pocket clip and holster. IPX7 waterproof to 1 meter for 30 minutes. 2 meter impact resistance tested.

**PROTAC 1AAA**  
**BATTERY:** [1] "AAA" alkaline or lithium  
**SIZE:** 3.94" x .71" x .57" (10.0 x 1.80 x 1.44 cm)  
**WEIGHT:** 1.3 oz (37 g)  
**COLOR:** Black

PROTAC® 1AAA	
88049	with [1] alkaline battery and holster — Black
ACCESSORIES	
72024	Lanyard

**MULTI-FUEL DESIGN:**  
 Runs on [1] CR123 or [1] "AA" battery

LITHIUM	HIGH	LOW
<b>LUMENS:</b>	115	8
<b>CANDELA:</b>	890	65
<b>DISTANCE:</b>	60m	16m
<b>RUN TIME:</b>	2h 15m	23h

Strobe runs 3.75 hours



With **[(STROBE)]**  
 Double tap switch to activate.

**TEN-TAP®** programmable switch allows user selection of one of three different programs:

- high/strobe/low (factory default)
- high only
- low/high

### PROTAC® 2AAA

Lightweight personal flashlight with three modes (high, low, and strobe), a removable pocket clip and a 13-hr. run time on low. IPX7 waterproof to 1 meter for 30 minutes. Maximum light output throughout battery life.

**PROTAC 2AAA**  
**BATTERY:** [2] "AAA" alkaline  
**SIZE:** 5.62" x .72" x .50" (14.27 x 1.83 x 1.27 cm)  
**WEIGHT:** 2.0 oz (57 g)  
**COLOR:** Black

PROTAC® 2AAA	
88039	with [2] alkaline batteries — Black
ACCESSORIES	
88045	Nylon Holster

	HIGH	LOW
<b>LUMENS:</b>	130	20
<b>CANDELA:</b>	1,230	230
<b>DISTANCE:</b>	70m	30m
<b>RUN TIME:</b>	1h 45m	13h

Strobe runs 3.5 hours



With **[(STROBE)]**  
 Double tap switch to activate.

**TEN-TAP®** programmable switch allows user selection of one of three different programs:

- high/strobe/low (factory default)
- high only
- low/high

## SIDEWINDER®

Meets a wide variety of hands-free illumination requirements with various color LEDs at different outputs. 185° tilting head and belt/web clip for multiple positioning/aiming of light. Designed for easy selection of light modes when in the field and when wearing gloves. IPX7-rated waterproof to 1 meter for 30 minutes. 3 meter impact-resistance tested. O-ring and gasket-sealed for waterproof operation. Meets MIL-STD-810F, METHOD 512.4.



WHITE LED	HIGH
<b>LUMENS:</b>	55
<b>CANDELA:</b>	1,175
<b>DISTANCE:</b>	69m
<b>RUN TIME:</b>	5h 30m

### SIDEWINDER

**BATTERY:** [2] "AA" alkaline or [2] "AA" lithium for extended operation in extreme temperatures [-40° F to +150° F]

**SIZE:** 2.34" x 1.08" x 4.65" (5.94 x 2.74 x 11.81 cm)

**LITHIUM WEIGHT:** 4.38 oz (124 g)

**ALKALINE WEIGHT:** 5.02 oz (142 g)

**COLOR:** Coyote

#### Military Model (White, Red, Blue, IR LEDs)

14000	w/alkaline—Clam packaged. Coyote.
14032	w/alkaline—Boxed. Coyote.
14027	w/alkaline—with Helmet Mount. Clam packaged. Coyote.
14031	w/alkaline—with E-mount. Clam packaged. Coyote.

#### Aviation Model (White, Green, Blue, IR LEDs)

14008	w/alkaline— Clam packaged. Coyote.
14024	w/alkaline—with MOLLE retainer. Boxed. Coyote.

## SIDEWINDER® RESCUE

PM AIR WARRIOR APPROVED

A lightweight hands-free lighting tool with four different color LEDs, each with varying intensities for a wide variety of tasks. It features a flashing beacon that coupled with the "Slide-in-Place" diffuser, projects omni-directional light to signal for help. The integrated diffuser allows you to go from tight, focused beam to wide, soft beam. Accepts either two "AA" alkaline batteries or two "AA" lithium batteries for maximum versatility in the field. IPX7 waterproof to 1 meter for 30 minutes.



#### Rescue Model

Blue LED

IR LED

Green LED

"Slide-in-Place" diffuser can be used with any LED color for omni-directional light

Aluminum plate provides flat surface to adhere Velcro® for attaching to helmet

Cord attachment for para-cord lanyard, which provides extra security from loss of light and allows it to be worn around the neck

### SIDEWINDER RESCUE

**BATTERY:** [2] "AA" alkaline or [2] "AA" lithium for extended operation in extreme temperatures [-40° F to +150° F]

**SIZE:** 2.34" x 1.08" x 4.65" (5.94 x 2.74 x 11.81 cm)

**LITHIUM WEIGHT:** 4.38 oz (124 g)

**ALKALINE WEIGHT:** 5.02 oz (142 g)

**COLOR:** Coyote

#### Rescue Model (White, Green, Blue, IR LEDs)

14065	Kit w/ MOLLE retainer, paracord and alk. batteries. Boxed
14069	Kit w/ MOLLE retainer, paracord and alk. batteries. Clam
14066	w/alkaline—Light only. Boxed
14067	w/alkaline—Light only. Clam
14068	w/alkaline—Includes E-Mount. Boxed

# MILITARY LIGHT IN THE WORLD.

## SIDEWINDER COMPACT® II

Extremely versatile lighting tool with white light and a variety of color LEDs for multiple tasks. Fits in the palm of your hand, or clips to MOLLE vest, belt, hat brim or pocket. Helmet mount also available. Entire body rotates 185° for easy aiming of light. Unbreakable, scratch-resistant lens. Special design for easy operation even when wearing heavy gloves. IPX7-rated waterproof to 1 meter for 30 minutes. 3 meter impact-resistance tested. O-ring and gasket-sealed for waterproof operation. Meets MIL-STD-810F, METHOD 512.4.

### SIDEWINDER COMPACT II

#### MULTIPLE POWER SOURCES:

(1) "CR123A" lithium, or (1) "AA" Alkaline, or (1) "AA" lithium

**SIZE:** 3" x 1.07" x 2.04" (7.62 x 2.72 x 5.21 cm)

**WEIGHT:** 2.4 oz (68 g) // 3.3 oz (94 g) w/ Helmet Mount

**COLOR:** Coyote



#### Military Model

- White C4® LED
- Blue LED
- IR/IFF LED
- Red LED

#### Military Model [White, Red, Blue, IR LEDs]

14516	Light only. Boxed.
14510	with Helmet Mount. Boxed.
14512	with Helmet Mount and Elastic Headstrap. Clam.
14513	with E-Mount. Clam packaged.
14514	with Helmet Mount and Elastic Headstrap. Boxed.
14515	Green, Blue, IR LEDs with Night Vision Goggle Mount.Boxed.
14518	with Helmet and Rail Mount.

#### Aviation Model [White, Green, Blue, IR LEDs]

14531	with Rail Mount and Elastic Headstrap.
14532	with Helmet Mount and Elastic Headstrap, AA Battery. Boxed.
14533	with Night Vision Goggle Mount. Boxed.



The Sidewinder Compact II is designed for versatility. It can operate on a "AA" Lithium, "AA" alkaline or CR123 Lithium battery.

	C4 HIGH W/CR123 LITHIUM	C4 HIGH W/"AA" LITHIUM	C4 HIGH W/"AA" ALKALINE
<b>LUMENS:</b>	55	47	47
<b>CANDELA:</b>	1,175	1,000	1,000
<b>DISTANCE:</b>	69m	63m	63m
<b>RUN TIME:</b>	6h	6h	2h



NVG Mount - Aviation



#### Aviation Model

- White C4® LED
- Blue LED
- IR/IFF LED
- Green LED

### SIDEWINDER COMPACT II® BATTERY RUN TIME

CR123 LITHIUM/"AA" LITHIUM BATTERY					
LED	Low 10% Output	Medium 1 25% Output	Medium 2 45% Output	High 100% Output	Strobe 100% Output
C4®	70 Hrs	28 Hrs	18 Hrs	8 Hrs	10 Hrs
IR or Red	100 Hrs+	72 Hrs	36 Hrs	16 Hrs	24 Hrs
Blue or Green	100 Hrs+	60 Hrs	24 Hrs	12 Hrs	18 Hrs
"AA" ALKALINE BATTERY					
C4®	40 Hrs	16 Hrs	8 Hrs	2 Hrs	4 Hrs
IR or Red	100 Hrs+	48 Hrs	18 Hrs	9 Hrs	14 Hrs
Blue or Green	100 Hrs+	36 Hrs	12 Hrs	6 Hrs	10 Hrs
All run time to 10% of initial output level. Illumination output electronically regulated.					

## SIDEWINDER ACCESSORIES

	Sidewinder	Sidewinder Compact II
Helmet Mount - Coyote	14055	14055
Rail Mount for Helmet - Coyote	14057	14057
	NSN-8470-01-633-3996	
Night Vision Goggle Mount -Tactical	14155	14155
Night Vision Goggle Mount -Aviation	14135	14135
	NSN-5340-01-641-3916	
Safety Wand - Glow in the dark	14902	14902
Elastic Headstrap	—	14059
E-Mount [ACH, ECH, MICH, LWH compatible]	14136	14136
	NSN-5340-01-641-3930	
E-Mount Access. Kit [Includes E-Mount, MOLLE Retainer and paracord]	14137	14137
Paracord	14138	14138
Sidewinder Rescue Access. Kit [Includes MOLLE Retainer and paracord]	14139	14139
Helmet Mount Kit-Coyote Helmet Mount, Headstrap, and MOLLE plate	14112	14112
Rail Mount Kit-Coyote Rail Mount, Headstrap and MOLLE plate	14113	14113
CR123 Batteries	2 Pk. 85175 6 Pk. 85180 12 Pk. 85177 400 Pk. 85179	



## STINGER DS® LED STINGER® LED

The Stinger LED and Stinger DS LED deliver the optimal balance of performance and value with the longest run time in the Stinger family. The DS model provides both a tailcap and head switch.

### STINGER DS LED

**BATTERY:** NiMH Rechargeable

**DS SIZE:** 8.85" x 1.62" x 1.17"  
(22.48 x 4.11 x 2.97 cm)

**DS WEIGHT:** 12.8 OZ (364 g)

**COLOR:** Black

### STINGER LED

**BATTERY:** NiMH Rechargeable

**SIZE:** 8.41" x 1.62" x 1.17"  
(21.36 x 4.11 x 2.97 cm)

**WEIGHT:** 12.4 OZ (352 g)

**COLOR:** Black


### DS LED LED

75813	75713	with 120V AC/12V DC Smart Charger—Black
75811	75711	with 120V AC Smart Charger—Black
75832	75732	w/120V AC/12V DC PiggyBack®—Black
75853	75753	with 12V DC Smart Charger (NiMH)—Black
75810	75710	without Charger (NiMH)—Black

	HIGH	MEDIUM	LOW
<b>LUMENS:</b>	425	200	100
<b>CANDELA:</b>	26,000	12,000	6,000
<b>DISTANCE:</b>	322m	219m	155m
<b>RUN TIME:</b>	3h	5h 30m	10h

Strobe mode: 7.5 hours of continuous run time

**425 LUMENS** TRADITION SERIES



**TRADITION**SERIES



With **[(STROBE)]**  
Double tap switch to activate.

AVAILABLE IN BOTH DUAL SWITCH AND STANDARD STYLES

**THE STINGER SERIES IS ALWAYS ON THE JOB.**  
**IT'S A DUTY LIGHT.**  
**BUILT WITH**  
**PRECISION &**  
**PERFORMANCE.**



## STINGER DS LED HL® STINGER LED HL®

Everything you love about the Stinger with more lumens for more brightness and a wider beam that lights up a whole area from side to side. Now you'll see the dangers that may be hiding in corners in rooms, tunnels, alleyways, cars, and more.

### STINGER DS LED HL

**BATTERY:** NiMH Rechargeable

**DS SIZE:** 8.85" x 1.62" x 1.17"  
(22.48 x 4.11 x 2.97 cm)

**DS WEIGHT:** 12.8 OZ (364 g)

**COLOR:** Black

### STINGER LED HL

**BATTERY:** NiMH Rechargeable

**SIZE:** 8.41" x 1.62" x 1.17"  
(21.36 x 4.11 x 2.97 cm)

**WEIGHT:** 12.4 OZ (352 g)

**COLOR:** Black

### DS LED HL LED HL

75454 75430 with 120V AC/12V DC - 2 holders (NiMH)-Black

75455 75431 with 120V AC (NiMH)-Black

75456 75432 with 12V DC (NiMH)-Black

75458 75434 with 120V AC/12V DC - 1 PiggyBack (NiMH)-Black

75453 75429 without Charger (NiMH)-Black

	HIGH	MEDIUM	LOW
<b>LUMENS:</b>	800	400	200
<b>CANDELA:</b>	24,000	12,000	6,000
<b>DISTANCE:</b>	310m	216m	155m
<b>RUN TIME:</b>	1h 30m	2h 30m	5h

Strobe mode: 3 hours of continuous run time

**800 LUMENS** HL SERIES



**HL**SERIES



With **[(STROBE)]**  
Double tap switch to activate.

AVAILABLE IN BOTH DUAL SWITCH AND STANDARD STYLES

## STINGER DS® HPL STINGER® HPL

The Stinger® HPL has combined two intensely bright illumination patterns into one multi-tasking beam giving you clarity up-close and deep into the horizon. Its long distance beam reaches 438 meters and the 800 lumen beam provides side to side visibility to fill in up-close areas and corners.

### STINGER DS HPL

**BATTERY:** NiMH Rechargeable

**DS SIZE:** 9.65" x 2.20" x 1.17"  
(24.51 x 5.59 x 2.97 cm)

**DS WEIGHT:** 14.0 OZ (396 g)

**COLOR:** Black

### STINGER HPL

**BATTERY:** NiMH Rechargeable

**SIZE:** 9.23" x 2.20" x 1.17"  
(23.44 x 5.59 x 2.97 cm)


**WEIGHT:** 13.6 OZ (385 g)

**COLOR:** Black

	HIGH	MEDIUM	LOW
<b>LUMENS:</b>	800	400	200
<b>CANDELA:</b>	48,000	24,000	12,000
<b>DISTANCE:</b>	438m	310m	219m
<b>RUN TIME:</b>	1h 30m	2h 30m	5h

Strobe mode: 3 hours of continuous run time

**800 LUMENS** HPL SERIES



**HPL**SERIES



With **[(STROBE)]**  
Double tap switch to activate.

AVAILABLE IN BOTH DUAL SWITCH AND STANDARD STYLES

### DS HPL HPL

75863 75763 with 120V AC/12V DC - 2 holders (NiMH)

75861 75761 with 120V AC (NiMH)

75899 75799 with 12V DC (NiMH)

75882 75782 with 120V AC/12V DC - 1 PiggyBack (NiMH)

75900 75980 without Charger (NiMH)

## STINGER ACCESSORIES

At Streamlight, we engineer the highest performing, most rugged, durable and innovative lights on the market. In addition, we support them with the accessories you can depend on and the options and configurations that you need to accommodate all your portable lighting needs.

Stinger Accessories	DS LED HL LED HL	DS HPL HPL	DS LED LED	UltraStinger LED
5 Unit Bank Charger	75400	75400	75400	75400
Smart Charger	75105	75105	75105	75105
Steady Piggyback®	75277	75277	75277	—
NiCd Battery Stick	—	—	—	—
NIMH Battery Stick	75375	75375	75375	77375
Li-Ion Battery Stick	75176	75176	75176	75176
12V Cig Charge Cord	22051	22051	22051	22051
12V DC Charge Cord	22050	22050	22050	22050
120V AC Charge Cord	22071	22071	22071	22071
Leather Plain Holster	75133	—	75133	—
Leather Weave Holster	75134	—	75134	—
Std. Nylon Holster	75927	75927	75927	—
Loop Nylon Holster	75928	75928	75928	75928
Duty Holster	88053	88053	88053	88053
Ring Holder	75906	75906	75906	75906
Red Flip Lens	75115	—	75115	—
Green Flip Lens	75117	—	75117	—
Blue Flip Lens	75116	—	75116	—
Red Wand	75903	75946	75903	78903
White Wand	75908	75949	75908	78908
Blue Wand	75902	75947	75902	—
Yellow Wand	75904	75948	75904	78904
Glow Wand	75913	75950	75913	78913
USB Cord - 5"	22079	22079	22079	—
USB Cord - 22"	22070	22070	22070	—
USB Cord - 40"	22081	22081	22081	—
12V DC USB Adapter	22069	22069	22069	—
100V/120V AC USB Adapter	22058	22058	22058	—

STINGER  
DUTY+TACTICAL  
HOLSTER

**DUTY + TACTICAL HOLSTER**  
- Super-tough nylon construction  
- Quick, Easy Access

# FAR REACHING BEAM + 1,100 LUMENS... THERE'S A REASON IT'S CALLED THE ULTRASTINGER LED.

## ULTRASTINGER® LED

The UltraStinger LED delivers a piercing 1,100 lumens, but that's not all... it also has a far-reaching beam, TEN-TAP® programming for its multiple intensities and strobe; plus we added a rubber sleeve for a better grip. It's IPX4 rated for water resistance and it works with existing Stinger® chargers and accessories.

### ULTRASTINGER LED

**BATTERY:** NiMH Rechargeable

**SIZE:** 11.82" x 2.37" x 1.19" (30 x 6.01 x 3 cm)

**WEIGHT:** 19.9 OZ (564 g)

**COLOR:** Black

77553 with AC/DC Smart Charger—Black

77551 with AC Smart Charger—Black

77555 with DC Smart Charger—Black

77550 without Charger—Black

	HIGH	MEDIUM	LOW
<b>LUMENS:</b>	1,100	350	90
<b>CANDELA:</b>	65,000	21,000	5,000
<b>DISTANCE:</b>	510m	290m	141m
<b>RUN TIME:</b>	1h 30m	4h 30m	16h

Strobe mode: 3h 15m of continuous run time

**1,100 LUMENS** HL SERIES



**TEN-TAP®** programmable switch allows user selection of one of three different programs:

- High/medium/low with strobe (factory default)
- High only without strobe
- High/medium/low without strobe

With **[(STROBE)]**  
Double tap switch to activate.

HL SERIES

# THE STRION SERIES. SMALL FORM FACTOR, BIG PERFORMANCE.

## STRION® DS HL STRION LED HL®

The power of a Stinger in a more compact Lithium Ion rechargeable flashlight. It even fits long-gun mounts. Casts a bright white beam that spreads out to illuminate an entire area. You'll see what's in front of you and what may be hiding in the corners.

### STRION DS HL

**BATTERY:** Li-ion Rechargeable

**SIZE:** 6.33" x 1.25" x .95"  
(16.08 x 3.18 x 2.41 cm)

**WEIGHT:** 5.4 OZ (153 g)

**COLOR:** Black

### STRION LED HL

**BATTERY:** Li-ion Rechargeable

**SIZE:** 5.90" x 1.25" x .95"  
(14.99 x 3.18 x 2.41 cm)

**WEIGHT:** 5.2 OZ (148 g)

**COLOR:** Black

DS HL	LED HL	
74612	74752	with 120V AC/12V DC - 2 holders-Black
74611	74751	with 120V AC/12V DC - 1 holder-Black
74621	74755	with 120V AC/12V DC - 1 holder-Black-Clam
74619	74778	with 120V AC/12V DC - 1 PiggyBack-Black
74613	74753	with 120V AC
74614	74754	with 12V DC
74610	74750	without Charger-Black
74620	74509	Strion LED HL with grip ring - with 120V AC



DS700 LUMENS HL SERIES



DS model features **TEN-TAP®** programmable switch that allows user selection of one of three different programs:

- High/medium/low with strobe (factory default)
- High only without strobe
- High/medium/low without strobe

STRION LED HL HIGH	MEDIUM	LOW
<b>LUMENS:</b> 615	320	160
<b>CANDELA:</b> 12,000	6,000	3,000
<b>DISTANCE:</b> 219m	155m	110m
<b>RUN TIME:</b> 1h 15m	2h 30m	4h 30m

Strobe mode: 3 hours of continuous run time

STRION DS HL HIGH	MEDIUM	LOW
<b>LUMENS:</b> 700	300	40
<b>CANDELA:</b> 12,000	5,000	800
<b>DISTANCE:</b> 219m	141m	57m
<b>RUN TIME:</b> 1h 15m	3h 30m	24h

Strobe mode: 2.5 hours of continuous run time

## STRION ACCESSORIES

STRION Accessories	STRION DS HL / HL	STRION HPL / DS HPL	STRION LED / STRION DS
6 Unit Bank Charger 120V	74400	74400	74400
6 Unit Bank Charger DC	74401	74401	74401
Piggyback Charger Holder	74115	74115	74115
Smart Charger Holder	74102	74102	74102
Li-ion Battery Stick	74175	74175	74175
12V Cig Charge Cord	22051	22051	22051
12V DC Charge Cord	22050	22050	22050
120V USB Charge Cord	22071	22071	22071
Rail Mount	74200	74200	74200
Vertical Grip	69114	69114	69114
Leather Plain Holster	74059	—	74059
Leather Weave Holster	74060	—	74060
Std. Nylon Holster	—	75910	—
Nylon Option Holster	85905	—	85905
Tactical Holster	88051	88051	88051
Red Flip Lens	85115	—	85115
Green Flip Lens	85117	—	85117
Blue Flip Lens	85116	—	85116
Red Wand	74903	75946	74903
White Wand	—	75949	—
Blue Wand	—	75947	—
Yellow Wand	74904	75948	74904
Glow Wand	74913	75950	74913



# REDUCE DOWNTIME.

WHEN YOU DOUBLE THE BATTERIES YOU HAVE ON HAND.



## STRION® PIGGYBACK CHARGER

### STRION PIGGYBACK CHARGER — 74115

- Always Be Ready
- Charge via 12V DC, 120 AC or USB
- Quick, and Convenient
- Charges Light & Spare Battery

## STRION® DS HPL STRION® HPL

Lightweight and ultra-compact, yet extremely powerful. It throws its long beam far out in the distance while casting plenty of peripheral light along the way. Features three intensities plus strobe. Rechargeable battery and powerful illumination result in one of the lowest operating costs of any flashlight. Easy, one-handed operation with multi-function push-button tailswitch.

### STRION DS HPL

**BATTERY:** Li-ion Rechargeable

**SIZE:** 7.56" x 2.2" x .95"  
(19.2 x 5.59 x 2.41 cm)

**WEIGHT:** 6.9 oz (196 g)

**COLOR:** Black

### STRION HPL

**BATTERY:** Li-ion Rechargeable

**SIZE:** 7.00" x 2.2" x .95"  
(17.78 x 5.59 x 2.41 cm)

**WEIGHT:** 7.1 oz (202 g)

**COLOR:** Black

DS HPL	HPL	
74811	74501	with 120V AC/12V DC — 1 Holder — Black
74812	74502	with 120V AC/12V DC — 2 Holders — Black
74819	74536	with 120V AC/12V DC — 1 PiggyBack
74813	74503	with 120V AC — Black
74814	74504	with 12V DC — Black
74810	74500	without Charger — Black

## STRION® DS STRION® LED

A powerful value that's perfect for the broadest range of lighting needs. IPX4 rated for water-resistance. Anti-roll ring included. Optional model with adjustable Grip Ring provides a sure-grip for easy one-handed operation.

### STRION DS

**BATTERY:** Li-ion Rechargeable

**SIZE:** 6.4" x 1.25" x .95"  
(16.26 x 3.18 x 2.41 cm)

**WEIGHT:** 5.4 oz (153 g)

**COLOR:** Black

### STRION LED

**BATTERY:** Li-ion Rechargeable

**SIZE:** 5.9" x 1.25" x .95"  
(14.99 x 3.18 x 2.41 cm)

**WEIGHT:** 5.2 oz (148 g)

**COLOR:** Black or Pink

DS	LED	
74411	74301	with 120V AC/12V DC — 1 Holder — Black
74412	74302	with 120V AC/12V DC — 2 Holders — Black
74413	74303	with 120V AC — Black
74414	74304	with 12V DC — Black
74421	74308	with 120V AC/12V DC — Black — Clam
74419	74353	with 120V AC/12V DC — 1 PiggyBack — Black
—	74361	with 120V AC/12V DC — 1 PiggyBack — Pink
74410	74300	without Charger — Black
74420	74309	with Grip Ring 120V AC — Black
—	74350	with 120V AC/12V DC — 1 Holder — Pink

STRION HPL	HIGH	MEDIUM	LOW
<b>LUMENS:</b>	615	320	160
<b>CANDELA:</b>	40,000	20,000	10,000
<b>DISTANCE:</b>	400m	283m	200m
<b>RUN TIME:</b>	1h 15m	2h 30m	4h 30m

Strobe mode: 3 hours of continuous run time

## 615 LUMENS

HPL SERIES



HPL SERIES

**Dual Switch** TECHNOLOGY With **[(STROBE)]**  
Double tap switch to activate.  
AVAILABLE IN BOTH DUAL SWITCH AND STANDARD STYLES

## ds700 LUMENS

DS model features **TEN-TAP**™ programmable switch allows user selection of one of three different programs:

- High/medium/low with strobe (factory default)
- High only without strobe
- High/medium/low without strobe

STRION DS HPL	HIGH	MEDIUM	LOW
<b>LUMENS:</b>	700	300	40
<b>CANDELA:</b>	44,000	18,000	2,600
<b>DISTANCE:</b>	420m	268m	102m
<b>RUN TIME:</b>	1h 15m	3h 30m	24h

Strobe mode: 2.5 hours of continuous run time

STRION LED	HIGH	MEDIUM	LOW
<b>LUMENS:</b>	375	175	80
<b>CANDELA:</b>	12,000	6,500	3,200
<b>DISTANCE:</b>	219m	161m	113m
<b>RUN TIME:</b>	2h 30m	4h 45m	9h 30m

Strobe mode: 6.5 hours of continuous run time

## 375 LUMENS

TRADITION SERIES



TRADITION SERIES

**Dual Switch** TECHNOLOGY With **[(STROBE)]**  
Double tap switch to activate.  
AVAILABLE IN BOTH DUAL SWITCH AND STANDARD STYLES

## ds375 LUMENS

DS model features **TEN-TAP**™ programmable switch allows user selection of one of three different programs:

- High/medium/low with strobe (factory default)
- High only without strobe
- High/medium/low without strobe

STRION DS	HIGH	MEDIUM	LOW
<b>LUMENS:</b>	375	150	40
<b>CANDELA:</b>	12,000	5,000	1,300
<b>DISTANCE:</b>	219m	141m	72m
<b>RUN TIME:</b>	2h 30m	6h 15m	24h

Strobe mode: 5 hours of continuous run time

## SUPER SIEGE® LANTERN

The Super Siege® Lantern features five LEDs, one white and four red with six output modes and a battery level indicator built into the on/off button. A rechargeable lithium ion battery supplies the power for the lantern as well as enabling you to recharge all your electronic devices from the handy USB port. Utilize the included "Glare Guard" to shield light from 1/2 the globe, allowing you to direct light on your work zone. A small storage area is provided in the base of the light for all your "keep dry" needs.

### SUPER SIEGE

**BATTERY:** Lithium Ion Rechargeable

**SIZE:** 3.8" x 7.5" (9.65 x 19.05 cm)

**WEIGHT:** 1 lb 14 oz (867.62 g)

**COLOR:** Coyote or Yellow

44947 Super Siege Lantern w/ AC power cord — Coyote

44945 Super Siege Lantern w/ AC power cord — Yellow

### SUPER SIEGE ACCESSORIES

44951 Magnetic Base— Black

44950 Glare Guard

[1] WHITE LED	HIGH	MEDIUM	LOW
<b>LUMENS:</b>	1,100	550	125
<b>RUN TIME:</b>	5h 45m	11h 30m	36h 15m

Light output with outer globe removed.

[4] RED LEDs	HIGH	FLASH/SOS MODE	LOW
<b>LUMENS:</b>	2.7	2.7	1
<b>RUN TIME:</b>	140h	320h	348h

### Rechargeable lithium ion battery

supplies the power for the lantern as well as enabling you to recharge all your electronic devices from the handy USB port.



A small dry storage area is provided in the light's base for all your "keep dry" needs

With **[(RED SOS)]**  
Hold on/off button to activate.

**1,100 LUMENS**



## THE SIEGE® LANTERN

The Siege is brighter, more durable, and much more versatile than other emergency/camping lanterns. It's bright enough to light up a whole campsite. It runs for over 30 hours on high, and over 12 days on low! Its handle and D-ring allow you to hang it or clip it almost anywhere, upright or inverted. It has 3 white light settings, a red light for softer, less intense light, and an SOS mode. Remove the top for brighter light. Battery indicator flashes to alert you to low battery.

### THE SIEGE

**BATTERY:** [3] "D" size alkaline

**SIZE:** 3.8" x 7.25" (9.65 x 18.41 cm)

**WEIGHT:** 1 lb 15 oz (878 g)

**COLOR:** Coyote

44931 The Siege Lantern — Coyote

### THE SIEGE ACCESSORIES

44952 Magnetic Base— Black

44950 Glare Guard



[4] WHITE LEDs	HIGH	MEDIUM	LOW
<b>LUMENS:</b>	540	275	55
<b>RUN TIME:</b>	30h	70h	295h

Light output with outer globe removed.

[1] RED LED	HIGH	FLASH/SOS MODE
<b>LUMENS:</b>	10	10
<b>RUN TIME:</b>	235h	430h

### Special Features:

- Floats for easy retrieval.
- Waterproof to 1 meter.
- 2 meter impact-resistance tested.
- Unbreakable lens.
- Rugged, non-slip base.

With **[(RED SOS)]**  
Hold on/off button to activate.

Versatile design features rugged carry handle and D-rings clip to hang virtually anywhere.

# THE SIEGE SERIES







## SIEGE® AA LANTERN

The Siege® AA lantern features one white LED, and two red LEDs (or two blue LEDs on the blue C.O.P.S. model). There are five output modes and a battery level indicator built into the on/off button. Use the lantern with or without the outer globe cover. Remove the outer globe and hang the body upside down by the D-ring for large area lighting needs. Battery replacement is a breeze with the center post orienting the battery cover correctly every time.

### SIEGE AA

**BATTERY:** (3) "AA" size alkaline

**SIZE:** 2.37" x 5.44" (6.00 x 13.82 cm)

**WEIGHT:** 8.8 OZ (249.47 g)

**MAGNETIC MODEL WEIGHT:** 9.1 OZ (257.98 g)

**COLOR:** Coyote, Yellow, Red, Pink or Blue



With **[(RED SOS)]**  
Hold on/off button to activate.

WHITE LED	HIGH	MEDIUM	LOW
<b>LUMENS:</b>	200	100	50
<b>RUN TIME:</b>	7h	15h 30m	37h

Light output with outer globe removed.

(2) RED LEDs	HIGH	FLASH/SOS MODE
<b>LUMENS:</b>	.7	.7
<b>RUN TIME:</b>	192h	288h

44941	Siege AA — Coyote
44943	Siege AA — Yellow w/magnetic base
44953	Siege AA — Red
44944	Siege AA — Pink
44949	Siege AA — Blue
<b>SIEGE AA ACCESSORIES</b>	
44942	Magnetic Base—Coyote

The yellow Siege AA has three strong magnets in the base. It's now a versatile, hands-free work light that can be attached to steel surfaces like engines, machines, or other equipment.



### MULTI-FUEL DESIGN:

Runs on (1) 18650 battery or (2) CR123A

LANTERN	HIGH	MEDIUM	LOW
<b>LUMENS:</b>	325	170	30
<b>RUN TIME:</b>	4h 30m	7h 45m	25h

Red LED: 22 hours of continuous run time, 90 hours of SOS

FLASHLIGHT	HIGH	LOW
<b>LUMENS:</b>	300	40
<b>CANDELA:</b>	6,000	900
<b>DISTANCE:</b>	155m	60m
<b>RUN TIME:</b>	3h 30m	25h



## SIEGE® X USB

The Siege® X USB is a multi-function, ultra-compact USB rechargeable lantern and flashlight that works in all settings. It features multiple lighting modes, including smooth lantern lighting; a red LED setting to preserve night vision; and a front spot light to use the lantern as a handheld flashlight. The D-ring at its base allows the users to easily hang the light for large area lighting needs. The compact lantern is powered by one Streamlight 18650 USB Lithium Ion rechargeable battery or two CR123 batteries and includes a battery level indicator built into the on/off button. IPX7 rated for water proof operation.

### SIEGE X USB

**BATTERY:** (1) 18650 USB or (2) CR123

**SIZE:** 2.12" x 4.35" (5.38 x 11.05 cm)

**WEIGHT W/18650:** 7.2 OZ (204.12 g)

**WEIGHT W/CR123A:** 6.8 OZ (192.78 g)

**COLOR:** Coyote

44956	w/18650 battery & 22" USB Cord — Coyote
-------	---

The Siege X USB features a 300 lumen front spot light

## STREAMLIGHT WAYPOINT SERIES



### Special Features:

- Unbreakable, O-ring sealed lens.
- IPX4-rated for water-resistance.
- 1 meter impact-resistance tested.
- Integrated stand for hands-free scene lighting.

### 550 LUMENS

	HIGH	LOW
<b>LUMENS:</b>	550	40
<b>CANDELA:</b>	100,000	7,900
<b>DISTANCE:</b>	625m	178m
<b>RUN TIME:</b>	10h	82h

Unlimited run time when using 12V DC power cord.  
Emergency signal run time 82 hours.

## WAYPOINT®

This long-distance, pistol-grip lantern is the light you need to inspect a power line from the ground, find a dock from the interior of a lake or to see whatever is way up ahead. Its beam reaches about the length of 6 football fields! It also has plenty of peripheral light, so you can see what's all around you. Set it down to illuminate an entire area or aim it to check on trees or power lines far away. Features 3 modes including a strobe for signaling.

### WAYPOINT

**BATTERY:** 4 "C" batteries (not included).  
Can also be powered by 12V DC power cord (included)

**SIZE:** 6.75" x 7.14" x 3.5" (17.15 x 18.14 x 8.89 cm)

**WEIGHT:** 1.8 lb (816 g)

**COLOR:** Yellow or Black

### YELLOW BLACK

44900	44902	12V DC power cord*— w/polymer storage mount
44904	44905	12V DC power cord*

### ACCESSORIES

44908	44908	Polymer Storage Mount
44903	44903	12V DC power cord*
44924	44924	Red Filter
44925	44925	Green Filter

\*12V DC power cord does not recharge batteries

## WAYPOINT® RECHARGEABLE

The rechargeable model has a broader, wider beam than the alkaline Waypoint. It spreads bright light across a whole room, campsite or backyard illuminating everything, yet its beam still reaches an impressive 678 meters. IPX8 rated design waterproof to 2 meters. Light floats if dropped in water. Includes 3 modes: low, medium and high. With its integrated stand you can set it up for easy area illumination. Fully recharges in 4 hours.

### WAYPOINT RECHARGEABLE

**BATTERY:** Lithium Ion with on-board safety control circuit

**SIZE:** 6.75" x 7.14" x 3.62" (17.15 x 18.14 x 9.29 cm)

**WEIGHT:** 1.52 lb (691 g)

**COLOR:** Yellow or Black

### YELLOW BLACK

44910	44911	with 120V AC charge cord
-------	-------	--------------------------

### ACCESSORIES

44918	44918	Polymer Storage Mount
44915	44915	Red Filter
44916	44916	Green Filter
44923	44923	12V DC charge cord
44909	44909	120V AC charge cord



The Waypoint rechargeable holder allows for secure storage (included with product and also offered as an accessory).

### Special Features:

- Unbreakable, O-ring sealed lens.
- IPX8-rated for water-resistance.
- 1 meter impact-resistance tested.
- Integrated stand for hands-free scene lighting.



### 1,000 LUMENS

	HIGH	MEDIUM	LOW
<b>LUMENS:</b>	1,000	550	35
<b>CANDELA:</b>	115,000	60,000	10,000
<b>DISTANCE:</b>	678m	490m	200m
<b>RUN TIME:</b>	3h 45m	7h 30m	87h



# THE WAYPOINT FAMILY NOW ADDS DUALIE FUNCTIONALITY.



## DUALIE WAYPOINT®

The Dualie Waypoint® light offers dual light technology with a forward facing spot beam and a bottom facing flood light that can be used individually or at the same time. See what's ahead of you and right in front of your feet with the Dualie Waypoint. Its bright light, which shines both ahead of you and downward, helps you avoid slips, trips and falls. Multiple hands-free uses - hang it over a door, stand it on its kickstand or hang it with integrated D-ring. The ergonomic handle hooks over any door, pipe, bar, cable or ladder rung for hands-free operation. It also includes an integrated stand to make the light perfect for any lighting need. The light is sealed and floats, so it's great for wet applications.

### DUALIE WAYPOINT

**BATTERY:** [4] "C" alkaline batteries

**SIZE:** 6.75" x 6.5" x 3.55"  
(17.14 x 16.5 x 9.0 cm)

**WEIGHT:** 2.06 lbs (934 g) w/o batteries

**COLOR:** Yellow/Black

44940 Yellow/Black

44955 Yellow/Black — box

SPOT BEAM	HIGH	MEDIUM	LOW
<b>LUMENS:</b>	750	500	35
<b>CANDELA:</b>	75,000	45,000	3,200
<b>DISTANCE:</b>	548m	426m	113m
<b>RUN TIME:</b>	3h 30m	6h	125h

FLOOD BEAM	HIGH	MEDIUM	LOW
<b>LUMENS:</b>	500	230	25
<b>CANDELA:</b>	250	120	10
<b>DISTANCE:</b>	31m	22m	6m
<b>RUN TIME:</b>	5h	12h 30m	170h

BOTH LIGHTS	HIGH	MEDIUM	LOW
<b>LUMENS:</b>	1,000	600	75
<b>RUN TIME:</b>	3h	6h	55h



Push button switch with momentary and click on operation. The rotary switch selects the main/front beam, bottom/area light, or both.



LED bottom facing flood light can be used individually or with the forward facing spot beam.



Integrated stand and D-ring for hands-free lighting.

# LIGHT UP THE WORLD ANYWHERE YOU WANT.

## PORTABLE SCENE LIGHT

The Portable Scene Light provides rapid deployment on site, and it goes anywhere. With its 90° swivel neck, it's easy to shine light into the most out-of-the-way place. The head extends to 72" within seconds. It provides 3 levels of lighting and substantial run time to last through several shifts, even days. The unique diffuser lets you select a flood or spot beam in all three levels. It's designed to adapt to tight spaces, but rugged enough to be stable in wide open terrain or steps. The regulated light provides consistent output throughout the life of the battery. It's an indispensable tool for first responders, construction crews, and utility workers.

### PORTABLE SCENE LIGHT

**BATTERY:** Zero-maintenance, sealed lead acid. Can also be powered by 12V DC power cord.

**SIZE:** 22" x 6.5" x 11" (55.88 x 16.5 x 27.9 cm)

**WEIGHT:** 25 lb (11.3 kg)

**COLOR:** Yellow

### PORTABLE SCENE LIGHT

45670 120V AC/12V DC Portable Scene Light—Yellow



Cord is built into the pole avoiding snags during deployment

	HIGH	MEDIUM	LOW
<b>LUMENS:</b>	5,300	2,500	1,300
<b>CANDELA:</b>	42,000	21,300	11,600
<b>DISTANCE:</b>	410m	292m	215m
<b>RUN TIME:</b>	4h	9h	18h


**5,300 LUMENS** HL SERIES

### Special Features:

- Full deployment in 30 seconds
- Pole extends to 72"; cord built into the pole to avoid snags
- Stabilization legs provide balance on uneven surfaces

Full extension to 72" with the stabilization legs fully deployed and locked in less than 30 seconds

Balanced design; lead acid batteries provide ballast and stability



## ENDURO® PRO

The Enduro Pro AAA Headlamp features two power LEDs, and two colored LEDs. This headlamp is as versatile as it is durable. The Enduro Pro features eight output modes — three levels of spot or flood and two for the night vision colored LEDs. 45° tilting head design. Snap-on front fascia plate is included and allows you to easily change color. IPX4 water-resistant rated and 2m impact resistance tested.

### ENDURO PRO HEADLAMP

**BATTERY:** (3) "AAA" alkaline

**SIZE:** 1.85" x 2.19" x 1.45"  
(4.70 x 5.56 x 3.68 cm)

**WEIGHT:** 3.4 oz (96.38 g)

**COLOR:** Black with Yellow Fascia or Coyote Fascia

61420	Black/Yellow w/ (3) alkaline—elastic headstrap—clam
61421	Black/Yellow w/ (3) alkaline—elastic headstrap—box
61425	Black/Coyote green LED w/ (3) alkaline—elastic headstrap—box



Remove yellow or coyote fascia to switch to black

WHITE SPOT	HIGH	MED	LOW	WHITE FLOOD	HIGH	MED	LOW
<b>LUMENS:</b>	200	75	25	<b>LUMENS:</b>	135	45	15
<b>CANDELA:</b>	2,250	825	300	<b>CANDELA:</b>	210	80	20
<b>DISTANCE:</b>	95m	57m	35m	<b>DISTANCE:</b>	29m	18m	9m
<b>RUN TIME:</b>	6h	14h	38h	<b>RUN TIME:</b>	6h	14h	38h

RED LED	HIGH	LOW	GREEN LED	HIGH	LOW
<b>LUMENS:</b>	.37	.08	<b>LUMENS:</b>	1.25	.25

## BANDIT® PRO

The Bandit® Pro USB headlamp builds on the favorite Bandit® COB headlamp with the added benefits of an extended runtime and a low runtime battery function. It includes a handy snap-in hat clip adaptor to attach the light on the brim of a baseball cap or to add additional downward adjustability when using the headband.

### BANDIT PRO

**BATTERY:** Lithium Polymer Rechargeable

**SIZE:** 2.7" x 1.13" x .97" (6.85 x 2.87 x 2.46 cm)

**WEIGHT:** 1.6 oz (45.4 g)

**COLOR:** Yellow or Black

61711	USB cord, hat clip and elastic headstrap - Box - Yellow
61710	USB cord, hat clip and elastic headstrap - Clam - Yellow
61714	USB cord, hat clip and elastic headstrap - Clam - Black
61715	USB cord, hat clip and elastic headstrap - Box - Black



Multi-function push-button switch with charge indicator - shines red when charging, green when charged

Includes a handy snap-in hat clip adaptor to attach the light on the brim of a baseball cap or to add additional downward adjustability when using the headband.



## BANDIT®

This USB COB headlamp is an ultra lightweight, weather resistant, personal area/work light featuring a large button for easy actuation, and a Lithium Polymer rechargeable battery. A rubber plug keeps dirt and debris out of the micro USB charging port. It includes a handy snap in hat clip adaptor to attach the light on the brim of a baseball cap or to add additional downward adjustability when using the headband. High, Low and Emergency flash modes on Yellow, Black, Red and Blue models.

### BANDIT

**BATTERY:** Lithium Polymer Rechargeable

**SIZE:** 2.7" x 1.13" x .75" (6.85 x 2.87 x 1.9 cm)

**WEIGHT:** 1.3 oz (36.8 g)

**COLOR:** Yellow, Black, Red, Blue or Coyote

61700	w/Headstrap and USB cord—Yellow
61702	w/Headstrap and USB cord—Black
61704	w/Headstrap and USB cord—Blue
61705	w/Headstrap and USB cord—Red
61706	w/Headstrap and USB cord—Coyote / Red LED — Clam
61707	w/Headstrap and USB cord—Coyote / Green LED — Clam

**Yellow, Black, Red & Blue Models:** White LED



Includes a handy snap-in hat clip adaptor to attach the light on the brim of a baseball cap or to add additional downward adjustability when using the headband.

RED LED	HIGH	LOW
<b>LUMENS:</b>	45	10
<b>RUN TIME:</b>	2h 30m	10h

GREEN LED	HIGH	LOW
<b>LUMENS:</b>	135	25
<b>RUN TIME:</b>	3h	13h 30m

**Coyote Models:** White/Red LED  
White/Green LED





# SURE, THEY'RE CALLED POCKET LIGHTS

**BUT REALLY THEY'RE GO-ANYWHERE, DO-ANYTHING LIGHTS.**

## MICROSTREAM®

So small, you can keep it in your pocket or clip it to a cap for hands-free lighting. Ideal if you carry a lot of gear and don't want to be weighed down. Unbreakable lens. O-ring sealed. IPX4 rated for water-resistance. 1 meter impact-resistance tested. Removable pocket/hat clip.

### MICROSTREAM

**BATTERY:** [1] "AAA" alkaline

**SIZE:** 3.5" x .6" (9.15 x 1.5 cm)

**WEIGHT:** 1.10 OZ (31.2 g)

**COLOR:** Matte Black or Red

66318	White LED — Black
66323	White LED — Red

<b>LUMENS:</b>	45
<b>CANDELA:</b>	420
<b>DISTANCE:</b>	41m
<b>RUN TIME:</b>	2h 15m



## MICROSTREAM® USB

This compact USB lithium ion battery powered flashlight features a tail cap switch, momentary or constant on operation, high and low beams, a combination pocket/hat clip for convenience, and amazing brightness and run time for a light of its size. The aluminum housing with Type II Military Spec anodizing helps make the light extremely durable and abrasion resistant. To charge the light, slide the head cover forward to expose the micro USB port.

### MICROSTREAM USB

**BATTERY:** Li-Ion rechargeable

**SIZE:** 3.87" x .61" (98.2 x 15.6 cm)

**WEIGHT:** 1.2 oz (34.1 g)

**COLOR:** Black, Red, Blue or Coyote

66601	w/wrist lanyard, hat clip and USB cord - Clam - Black
66604	w/wrist lanyard, hat clip and USB cord - Box - Black
66602	w/wrist lanyard, hat clip and USB cord - Clam - Red
66605	w/wrist lanyard, hat clip and USB cord - Box - Red
66603	w/wrist lanyard, hat clip and USB cord - Clam - Blue
66606	w/wrist lanyard, hat clip and USB cord - Box - Blue
66608	w/wrist lanyard, hat clip and USB cord - Clam - Coyote
66609	w/wrist lanyard, hat clip and USB cord - Box - Coyote

### ACCESSORIES

22070	40" USB Cord
22081	22" USB Cord
22079	5" USB Cord
66607	MicroStream USB Battery
22600	EPU-5200™ Portable USB Charger



	HIGH	LOW
<b>LUMENS:</b>	250	50
<b>CANDELA:</b>	1,150	250
<b>DISTANCE:</b>	68m	31m
<b>RUN TIME:</b>	1h 30m	3h 30m



Sliding metal sleeve protects micro USB port



## STYLUS PRO® USB & USB UV

You won't want to be without this sleek, compact penlight that recharges at any USB port or with optional AC wall adapter. Consistent light output throughout battery life. IPX4 water-resistant. 1 meter impact-resistance tested. Also available in a UV model.

### STYLUS PRO USB & STYLUS PRO USB UV

**BATTERY:** Lithium ion

**SIZE:** 6.15" x .74" (15.6 x 1.9 cm)

**WEIGHT:** 1.9 oz (53.8 g)

**COLOR:** Black

### STYLUS PRO USB UV

**UV LED OUTPUT:** 325mW

**UV RUN TIME:** 2h 30m



Sliding metal sleeve protects micro USB port

Recharge by plugging into USB port or optional AC wall adapter

STYLUS PRO USB	HIGH	LOW
<b>LUMENS:</b>	250	90
<b>CANDELA:</b>	2,950	840
<b>DISTANCE:</b>	109m	58m
<b>RUN TIME:</b>	1h 30m	3h 30m

66133	Stylus Pro USB with 120V AC adapter, USB cord, nylon holster — Black with white LED
66134	Stylus Pro USB with USB cord, nylon holster — Black with white LED
66148	Stylus Pro USB UV with 120V AC adapter, USB cord, nylon holster
66149	Stylus Pro USB UV with USB cord, nylon holster

### ACCESSORIES

22070	USB Cord
22071	120V AC Wall Adapter
66029	Nylon Holster

## STYLUS PRO® COB

A sleek, compact, USB rechargeable worklight that you can wear. Clip it to your pocket for hands-free lighting. Don't have a pocket? Stick it to a steel surface using its integrated magnet. Slim profile fits into tight spaces to flood the work area with light.

### STYLUS PRO COB

**BATTERY:** Lithium ion

**SIZE:** 6.64" x .55" (168.6 x 14 mm)

**WEIGHT:** 2.2 oz (62.4 g)

**COLOR:** Black, Red or Blue

	HIGH	LOW
<b>LUMENS:</b>	160	40
<b>CANDELA:</b>	130	30
<b>DISTANCE:</b>	23m	11m
<b>RUN TIME:</b>	3h	8h 30m

Flash mode: 7 hours of run time



Integrated magnet for hands-free use

Push-button switch with charge indicator  
Red = charging  
Green = charged

66700	includes pocket clip and USB cord - Clam - Black
66702	includes pocket clip and USB cord - Box - Black
66703	includes pocket clip and USB cord - Clam - Red
66705	includes pocket clip and USB cord - Box - Red
66706	includes pocket clip and USB cord - Clam - Blue
66708	includes pocket clip and USB cord - Box - Blue

### ACCESSORIES

66143	Lithium Ion Battery (Stylus Pro USB/COB)
22070	40" USB Cord
22071	120V AC USB Cord
22079	5" USB Cord
22081	22" USB Cord
22059	International Wall Adapter
22069	12V DC USB Adapter
22600	EPU-5200
66029	Nylon Holster

## STREAMLIGHT JR. F-STOP®

Ultra-compact lightweight 2AA flashlight features a power LED and Spot to Flood technology! This feature makes the light very versatile for every lighting need. With the bezel forward (for Spot mode) the light has a piercing beam. When the bezel is slid backwards, the beam opens up into a smooth flood pattern for area lighting.

### STREAMLIGHT JR. F-STOP

**BATTERY:** Two (2) "AA" size, Alkaline or Lithium batteries

**SIZE:** 6.5" x 1.12" x .75"

(16.51 x 2.84 x 1.90 cm)

**WEIGHT:** 4.4 oz (125 g)

**COLOR:** Black, Red or Blue

71700	Black, includes holster and (2) alkaline batteries—clam
71701	Black, includes holster and (2) alkaline batteries—box
71702	Red, includes holster and (2) alkaline batteries—clam
71703	Red, includes holster and (2) alkaline batteries—box
71704	Blue, includes holster and (2) alkaline batteries—clam
71705	Blue, includes holster and (2) alkaline batteries—box

### ACCESSORIES

71503	Nylon Holster
99075	Rubber helmet strap



SPOT



FLOOD

	SPOT	FLOOD
<b>LUMENS:</b>	220	250
<b>CANDELA:</b>	5,600	360
<b>DISTANCE:</b>	150m	38m
<b>RUN TIME:</b>	6h	6h

With the bezel forward (for Spot mode) the light has a piercing beam. When the bezel is slid backwards, the beam opens up into a smooth flood pattern for area lighting.

## CLIPMATE® USB

This multi-function light clips to pocket or cap for hands-free use. Recharges by plugging into USB port or optional AC wall adapter. IPX4 water-resistant. 1 meter impact-resistance tested.

### CLIPMATE USB

**BATTERY:** Lithium polymer cell

**SIZE:** 3.20" x 1.39" x .65" (8.1 x 3.5 x 1.7 cm)

**WEIGHT:** 1.9 oz (53.8 g)

**COLOR:** Black

61125	Light only. Black.
61126	Light with 120V AC. Black.

### ACCESSORIES

22070	USB Cord
22058	120V AC Wall Adapter
61128	Clipmate USB Battery



Flexible, extension cable targets the beam where you need it

Dual LEDs:  
High-intensity white LED  
Night vision red LED

WHITE LED	HIGH	LOW
<b>LUMENS:</b>	70	10
<b>CANDELA:</b>	500	50
<b>DISTANCE:</b>	44m	14m
<b>RUN TIME:</b>	3h 30m	24h

RED LED	HIGH	LOW
<b>LUMENS:</b>	.5	.2
<b>CANDELA:</b>	9	3
<b>DISTANCE:</b>	6m	3m
<b>RUN TIME:</b>	16h	65h

## KEYMATE® USB

This weather resistant, personal area light featuring a recessed button to prevent accidental turn on, a Lithium Polymer rechargeable battery and a low battery power warning indicator. It also includes a snap hook for attachment to a key ring, zipper pull, or ball cap.

### KEYMATE USB

**BATTERY:** Lithium polymer cell

**SIZE:** 2.9" x 1.08" x .5" (7.3 x 2.74 x 1.27 cm)

**WEIGHT:** .5 oz (14.2 g)

**COLOR:** Black

73200 KeyMate USB w/5" (12.7cm) USB Cord—Black

WHITE LED	HIGH	LOW
<b>LUMENS:</b>	35	18
<b>RUN TIME:</b>	1h	2h



Bright white COB LED provides 35 lumens with optimal area illumination



Easily charge from your computer, USB outlet or EPU-5200 with the included USB cable.

## NANO LIGHT®

This tiny, weatherproof light has a non-rotating snap hook for easy one-handed operation when attached to a keychain.

### NANO

**BATTERY:** [4] alkaline button cell


**SIZE:** 1.47" x .51" x .43" (3.73 x 1.3 x 1.09 cm)

**WEIGHT:** .36 oz (10 g)

**COLOR:** Black, Blue, Pink, or Red

For each color Nano Light sale, we donate \$1 to the organization associated with that light. Look to the right for information about each cause.

<b>LUMENS:</b>	10
<b>RUN TIME:</b>	8h



73001	Black with White LED
73002	COPS/Blue with White LED
73003	BCRF/Pink with White LED
73005	NFFF/Red with White LED
61205	4 pack coin cell Nano Light Batteries



By purchasing this product, you are helping to make a difference in the rebuilding of the lives of surviving families and affected co-workers of law enforcement officers killed in the line of duty. In addition to rebuilding lives, C.O.P.S. (Concerns of Police Survivors) provides training to law enforcement agencies on survivor victimization issues and educates the public of the need to support the law enforcement profession and its survivors. For more information, visit [www.nationalcops.org](http://www.nationalcops.org).

The Breast Cancer Research Foundation® is an independent 501 (c) (3) not-for-profit organization whose mission is to achieve prevention and a cure for breast cancer in our lifetime by providing critical funding for innovative clinical and genetic research at leading medical centers worldwide, and increasing public awareness about good breast health. For more information, visit [www.bcrfure.org](http://www.bcrfure.org).

Congress created the National Fallen Firefighters Foundation to lead a nationwide effort to honor America's fallen firefighters. Since 1992, the non-profit foundation has developed and expanded programs that fulfill that mandate. Their mission is to honor and remember America's fallen fire heroes and to provide resources to assist their survivors in rebuilding their lives. For more information, visit [www.firehero.org](http://www.firehero.org).





# STREAMLIGHT®

Streamlight, Inc.  
30 Eagleville Road  
Eagleville, PA U.S.A. 19403-3996



NFPA®



©2019 Streamlight, Inc. ISO 9001:2015 certified 991166 1/19 asi/89871

// **STAY CONNECTED WITH US:**



All rights reserved. Trademarks of companies mentioned herein appear for identification purposes only and are the property of their respective companies.